# **Product Safety Data Sheet**

Product	3010 / 3010 Editor			PSDS No.: 0108 ISSUE DATE: 06/21/90 REV. DATE: 04/30/03			
Section I - Product Identification Manufacturer's Name Fuji Xerox			<b>Emergency No.</b> (585) 422-2177	EH&S Inquiries (800) 828-6571			
	<b>Manufacturer's Address</b> 1275 Iwatsuki-Ohaza Iwatsuki-shi, Saitama-ken 339 Japan						
	<b>Product Designation</b> 3010 / 3010 Editor			Product Identifier 3F3	r		
Section II		<b>e Current</b> Amps) 8.0	<b>Freq.</b> (Hertz) 60	Branch Cir. Prote (Amps) 15A	ection		
	Line Cord / Plug Specification Two Wire +Ground			<b>Power Consumption (Watts)*</b> Running: 820 Standby: 200			
	Agency ApprovalsElectrical Testing Laboratories (ETL)File Not ApplicableCanadian Standards Association (CSA)File LR 53533C						
Section III - Supplies							
	Toner Cartridge Print Cartridge	Xerox Part N 6R320 13R32	No.	Material Safety D A-008 C20			
Section IV - Environmental Information							
	Product Size (Centimeters / Inches) D: 69 / 27 W: 93 /36 H: 112 / 44	Heat Emiss (BTU/HR) Running: 2 Standby:	) 2390	Environmental Li Relative Humidity (% Ambient Temp. (°C)	//////////////////////////////////////		
	Floor Space Requirements (Meters / Feet) 60 by 60 Inches / 25			<b>Weight</b> (K Grams/Lbs. <b>)</b> 101 / 225			
*B:	ased on a five-minute average						

## Section V - Emission/Exposure Information\*

### Light Source

Fluorescent Lamp

Product contains an embedded FDA compliant Class I Laser printer. No access to the Laser beam is required to perform operator, maintenance or service procedures.

### **Electromagnetic Emissions**

FCC/DOC: Class A

Audible N	TLV				
Run	<55 dB(A)		85 dB(A)		
Standby	<55 dB(A)				
Impulse	Not Available				
<b>Ozone</b> 0.003	ppm (TWA)		<b>TLV</b> 0.1 ppm		
Concentration Based on Customer Simulation Model: Daily Copy Volume 136 copies /day Room Size 4.0 m <sup>3</sup> 0 Room air changes per hour					
Total Dus	st		TLV		
0.02 mg/n			10 mg/m <sup>3</sup>		
Volatile C	TLV				
Styrene	0.	.005 ppm	50 ppm		
2-Butoxye	thanol 0.	.001 ppm	25 ppm		

0.002 ppm

### Section VI - Product Recycling and Disposal

Benzaldehyde

Xerox operates a worldwide equipment takeback and reuse/recycle program. Contact your Xerox sales representative (1-800-ASK-XEROX) to determine whether this Xerox product is part of the program. For more information about Xerox environmental programs, visit www.xerox.com (refer to "About Xerox" section). If your product is not part of the Xerox program and you are managing its disposal, please note that the product may contain lead, mercury and other materials whose disposal may be regulated due to environmental considerations. For recycling and disposal information, contact your local authorities. In the United States, you may also refer to the Electronic Industries Alliance web site: www.eiae.org.

none established

\* **TLV** (Threshold Limit Value) and **PEL** (Permissible Exposure Level) respectively set by American Conference of Government Industrial Hygienists and by Occupational Safety and Health Administration. These levels are considered maximum exposure permitted to ensure no health hazard. **TWA** (Time Weighted Average) for a normal eight hour workday.

All measurements were made on products performing within established operating specifications and received recommended maintenance procedures. Xerox certifies that this product meets or exceeds the applicable standards for safety and emissions.