

Recommended Xerox Media for ColorQube® 8570 and 8870 Printer - Europe

Version 1.1. March 2013

Important Notes:

All media are listed by product, front panel selection mode, weight (standard gsm), re-order number, size, and tray runnability. The additional information column is for hints and tips on how to run certain media applications.

Media recommendations made in this publication are based on qualification tests* conducted using standard test images with moderate to heavy image area coverage. Test duration for each product/media type is based on the suggested machine monthly copy/print volume. Test machines are maintained within specifications defined by user documentation.

*Testing Environment temperature range of 60-75 deg. F, Relative Humidity range 30-50%. For those customers operating equipment in environments of extremely low or high humidity not all products on this list have been validated under these conditions.

*Machine reliability specifications may be affected by increased usage of the Transparency, Card Stock, Label, and other special modes. In addition, variances in machine reliability may occur due to extended use of some media types. Your Xerox service representative can advise you on special application media types for long duration copy/print runs.

For specifications and a description of the various media types discussed in this publication, please refer to www.xerox.com.

Warranty Disclaimer:

Xerox makes no guarantees or warranties, either express or implied, concerning the performance, use or replacement of non-Xerox branded media or throughput products. Customers should inquire directly of their paper distributor or manufacturer for any guarantees they may offer. When purchasing a particular media product for the first time, customers are advised to purchase small quantities to insure that their expectations are met.

The quality of Xerox supplies is consistent from ream to ream, carton to carton, and it is backed by a Xerox 100% guarantee. The quality of non-Xerox branded paper may vary from ream to ream or carton to carton, so for optimum performance on Xerox colour equipment, use only the best - Xerox Supplies.

©2010-2013 Xerox Corporation. All rights reserved.

XEROX®, XEROX and Design® and ColorQube® are trademarks of Xerox Corporation in the United States and/or other countries.

For the latest line of Xerox supplies contact your local Xerox representative or a recommended distributor. For the most recent version of this list visit www.xerox.com/europaper

Xerox® ColorQube® 8570 and 8870 Printer European Recommended Media List

Plain/Bond/Recycled Card Stock Special Label Transparency					A = Auto M = Mai S = Simp	A = Auto Duplex M = Manual Duplex S = Simplex Only Trays					
Paper	Paper Type correspotnds to suggested Front Panel mode	Weight	Re-order#	Туре	Size	1/MPT	2	3	4	5	Additional Information
Xerox Colotech+ (Gold Label)	Plain	90 gsm	003R98837		A4	Α	А	А	Α	Α	
		100 gsm	003R98842		A4	Α	А	А	A	Α	
		120 gsm	003R98847		A4	Α	Α	Α	Α	Α	
	Card Stock	160 gsm	003R98852		A4	М	М	М	М	М	
		200 gsm	003R997967		A4	М	М	М	М	М	
		220 gsm	003R997971		A4	М	М	М	М	М	
	Plain	90 gsm	003R94641		A4	Α	А	А	A	Α	
Xerox Colotech+ (Blue Label)		100 gsm	003R94646		A4	Α	Α	Α	Α	Α	
		120 gsm	003R94651		A4	Α	Α	Α	Α	Α	
	Card Stock	160 gsm	003R94656		A4	М	М	М	М	М	
		200 gsm	003R94661		A4	М	М	М	М	М	
		220 gsm	003R94668		A4	М	М	М	М	М	
	Plain	80 gsm	003R97661		A4	Α	А	А	А	Α	
		90 gsm	003R97663		A4	Α	А	А	А	Α	
Xerox Colour Impressions		100 gsm	003R97666		A4	Α	А	А	А	Α	
		120 gsm	003R98685		A4	Α	А	А	А	Α	
	Card Stock	160 gsm	003R98007		A4	М	М	М	М	М	
Xerox Business	Plain	80 gsm	003R91820		A4	Α	А	А	А	Α	Do not print over the pre-punched holes in the media. Load trays with holes on
ACION DUSINGS			003R91823	(4 hole)	A4	Α	Α	Α	Α	Α	the right side of the tray.
Xerox Exclusive	Plain	80 gsm	003R90208		A4	Α	А	А	А	Α	Do not print over the pre-punched holes in the media. Load trays with holes o the right side of the tray.
			003R91712	(4 hole)	A4	Α	A	A	А	Α	
		90 gsm	003R90600		A4	Α	A	A	А	Α	
		100 gsm	003R94574		A4	Α	Α	A	Α	Α	

Page 2 of 3 Version 1.1 March 2013

Plain/Bond/Recycled Card Stock Special Label Transparency							Duplex ual Duple lex Only				
Paper	Paper Type correspotnds to suggested Front Panel mode	Weight	Re-order#	Туре	Size	1/MPT	2	Trays 3	4	5	Additional Information
Xerox Premier	Plain	80 gsm	003R91720		A4	Α	А	Α	Α	Α	
		80 gsm	003R91832		A5	Α	Α	Α	Α	Α	
		90 gsm	003R91854		A4	Α	Α	А	Α	А	
	Card Stock	200 gsm	003R93011		A4	М	М	М	М	М	
		80 gsm	003R95248		A4	Α	А	Α	Α	Α	
Xerox ColorPrint		90 gsm	003R95254		A4	Α	А	Α	Α	Α	
	Plain	100 gsm	003R95256		A4	Α	А	А	А	А	
		120 gsm	003R96602		A4	Α	Α	Α	Α	Α	
Xerox Recycled	Plain	80 gsm	003R91165		A4	Α	Α	Α	Α	Α	
Xerox Recycled Supreme	Plain	80 gsm	003R94565		A4	Α	Α	Α	Α	Α	Do not print over the pre-punched holes in the media. Load trays with holes on the right side of the tray.
			003R94567	(4 hole)	A4	Α	Α	Α	Α	Α	
		90 gsm	003R95156		A4	Α	Α	Α	Α	A	
Xerox Performer	Plain	80 gsm	003R90649		A4	Α	Α	Α	Α	Α	
	Label	Label	003R93872	1-up	A4	S	s	S	s	S	
Xerox Colour Laser/Copier Labels			003R93873	6-up	A4	s	s	S	S	S	
			003R93874	8-up	A4	S	S	S	S	S	
			003R93875	14-up	A4	S	S	S	S	S	
Xerox Premium Digital Carbonless Paper	Plain	80 gsm	003R99105	(W/Y) Straight	A4	Α	А	Α	Α	Α	Ream edge arrow points to print side. Load with print side up in trays 2-5 and print side down in Tray1. Note: Slight pick roller marking is normal for this kind of media.
			003R99107	(W/P) Straight	A4	Α	Α	Α	Α	Α	
			003R99108	(W/Y/P) Straight	A4	A	Α	Α	Α	Α	
Xerox Premium Transparencies for Colour	Transparency	Transparency	003R98205		A4	s	s	S	s	S	

Page 3 of 3 Version 1.1 March 2013