



Recommended Xerox Materials List for WorkCentre® 7830/7835/7845/7855 - Europe

Version 1.0 - March 2013

This supersedes any previous Recommended Materials List for Xerox WorkCentre 7830/7835/7845/7855

Important Notes:

All media is listed by product, paper type, paper tray settings - image quality, weight (standard gsm), re-order number, size, tray runability, and integrated office finisher runability. The additional information column is for hints and tips on how to run certain media applications.

Machine reliability specifications may be affected by increased usage of Cardstock, Heavyweight Cardstock, Glossy and Glossy Cardstock modes. In addition, variances in machine reliability may occur due to extended use of some media types. Your Xerox service representative can advise you on using Cardstock, Heavyweight Cardstock, Glossy and Glossy Cardstock modes or special application media types for long duration copy/print runs.

Environmental Conditions may require that Glossy papers be fed one sheet at a time through Tray 5, (Bypass/SMH). Relative Humidity greater than 40% could cause multifeeds. Output may require removal at 25 sheets in the tray when not using a finisher.

The Integrated Office "A" Finisher is capable of stapling at maximum; (maximum number will decrease if paper weight is greater than 24lb / 90 gsm):
50 Sheets of Letter (8.5 x 11" / A4), Executive (7.25 x 10.5), in Long Edge Feed (LEF); or of Letter in Short Edge Feed (SEF)
30 Sheets of Tabloid/Ledger (11 x 17" / A3), Legal (8.5 x 14"), or 8.5 x 13".

The Office Finisher LX is capable of stapling at maximum; (maximum number will decrease if paper weight is greater than 24lb / 90 gsm):
50 Sheets of Paper up to the size of 11 x 17" / A3 Short Edge Feed (SEF)

© 2013 Xerox Corporation. All rights reserved.

XEROX®, Xerox® and Design® and WorkCentre® are trademarks of Xerox Corporation in the United States and/or other countries.

For the latest line of Xerox supplies contact your local Xerox representative or a recommended distributor. For the most recent version of this list visit www.xerox.com/europaper

Media	Paper Type Setting	Weight	Re-Order #	Type	Size	Trays						SMH (Bypass)	HCF	Integrated (A) Office Finisher		Professional (C) Finisher		Office (SB) Finisher LX		Additional Information		
						3TM			TTM					5	6	Stack	Staple	Stack	Staple		Stack	Staple
						1	2	3	4	2	3											
Xerox Colotech+ (Gold label)	Bond	90 gsm	003R98837		A4	A	A	A	A	A	A	A	A	A	A	•	♦	•	♦	•	♦	
			003R98839		A3	A	A	A	A	A	n	n	A	n	•	♦	•	♦	•	♦		
			003R98840		SRA3	n	A	A	A	A	n	n	A	n	n	n	•	n	n	n		
	Bond	100 gsm	003R98842		A4	A	A	A	A	A	A	A	A	A	A	•	♦	•	♦	•	♦	
			003R98844		A3	A	A	A	A	A	n	n	A	n	•	♦	•	♦	•	♦		
			003R98845		SRA3	n	A	A	A	A	n	n	A	n	n	n	•	n	n	n		
	Lightweight Cardstock	120 gsm	003R98847		A4	A	A	A	A	A	A	A	A	A	A	•	♦	•	♦	•	♦	
			003R98848		A3	A	A	A	A	A	n	n	A	n	•	♦	•	♦	•	♦		
			003R98849		SRA3	n	A	A	A	A	n	n	A	n	n	n	•	n	n	n		
	Lightweight Cardstock	160 gsm	003R98852		A4	A	A	A	A	A	A	A	A	A	A	•	♦	•	♦	•	♦	
			003R98854		A3	A	A	A	A	A	n	n	A	n	•	♦	•	♦	•	♦		
			003R98855		SRA3	n	A	A	A	A	n	n	A	n	n	n	•	n	n	n		
	Cardstock	200 gsm	003R97967		A4	A	A	A	A	A	A	A	M	A	A	•	♦	•	♦	•	♦	
			003R97968		A3	A	A	A	A	A	n	n	M	n	•	♦	•	♦	•	♦		
			003R97969		SRA3	n	A	A	A	A	n	n	M	n	n	n	•	n	n	n		
Cardstock	220 gsm	003R97971		A4	A	A	A	A	A	A	A	M	A	A	•	♦	•	♦	•	♦		
		003R97972		A3	A	A	A	A	A	n	n	M	n	•	♦	•	♦	•	♦			
		003R97973		SRA3	n	A	A	A	A	n	n	M	n	n	n	•	n	n	n			
Cardstock	250 gsm	003R98975		A4	S	S	S	S	S	S	S	M	A	A	n	n	n	n	n	n		
		003R98976		A3	S	S	S	S	S	n	n	M	n	n	n	n	n	n	n	n		
		003R98977		SRA3	n	S	S	S	S	n	n	M	n	n	n	n	n	n	n	n		
Heavyweight Cardstock	280 gsm	003R98979		A4	n	n	n	n	n	n	n	M	n	A	n	n	n	n	n	n		
		003R98980		A3	n	n	n	n	n	n	n	M	n	n	n	n	n	n	n	n		
		003R97981		SRA3	n	n	n	n	n	n	n	M	n	n	n	n	n	n	n	n		
Heavyweight Cardstock	300 gsm	003R97983		A4	n	n	n	n	n	n	n	M	n	A	n	n	n	n	n	n		
		003R97984		A3	n	n	n	n	n	n	n	M	n	n	n	n	n	n	n	n		
		003R97985		SRA3	n	n	n	n	n	n	n	M	n	n	n	n	n	n	n	n		
Xerox Colotech+ Natural White	Bond	100 gsm	003R97102		A4	A	A	A	A	A	A	A	A	A	•	♦	•	♦	•	♦		
			003R97103		A3	A	A	A	A	A	n	n	A	n	•	♦	•	♦	•	♦		
			003R97275		SRA3	n	A	A	A	A	n	n	A	n	n	n	•	n	n	n		
	Lightweight Cardstock	160 gsm	003R95956		A4	A	A	A	A	A	A	A	A	A	•	♦	•	♦	•	♦		
			003R95957		A3	A	A	A	A	A	n	n	A	n	•	♦	•	♦	•	♦		
003R97276	SRA3	n	A	A	A	A	n	n	A	n	n	n	•	n	n	n						
Cardstock	200 gsm	003R95958		A4	A	A	A	A	A	A	A	M	A	A	•	♦	•	♦	•	♦		
		003R95959		A3	A	A	A	A	A	n	n	M	n	•	♦	•	♦	•	♦			
003R97277	SRA3	n	A	A	A	A	n	n	M	n	n	n	•	n	n	n						
Xerox Colotech+ Gloss Coated	Glossy	120 gsm	003R90336		A4	A	n	n	n	n	n	n	A	A	•	n	•	♦	•	♦		
			003R90337		A3	A	n	n	n	n	n	n	A	n	•	n	•	♦	•	♦		
			003R90338		SRA3	n	n	n	n	n	n	n	A	n	n	n	•	n	n	n		
	Glossy	140 gsm	003R90339		A4	A	n	n	n	n	n	n	A	A	•	n	•	♦	•	♦		
			003R90340		A3	A	n	n	n	n	n	n	A	n	•	n	•	♦	•	♦		
			003R90341		SRA3	n	n	n	n	n	n	n	A	n	n	n	•	n	n	n		
	Glossy Cardstock	170 gsm	003R90342		A4	S	n	n	n	n	n	n	M	n	•	n	•	♦	•	♦		
			003R90343		A3	S	n	n	n	n	n	n	M	n	•	n	•	♦	•	♦		
	003R90344	SRA3	n	n	n	n	n	n	n	M	n	n	n	•	n	n	n					
	Glossy Cardstock	210 gsm	003R90345		A4	S	n	n	n	n	n	n	M	n	•	n	•	♦	•	♦		
003R90346			A3		S	n	n	n	n	n	n	M	n	•	n	•	♦	•	♦			
003R90347	SRA3	n	n	n	n	n	n	n	M	n	n	n	•	n	n	n						
Glossy Cardstock	250 gsm	003R90348		A4	S	n	n	n	n	n	n	M	n	•	n	•	♦	•	♦			
		003R90349		A3	S	n	n	n	n	n	n	M	n	•	n	•	♦	•	♦			
003R90350	SRA3	n	n	n	n	n	n	n	M	n	n	n	•	n	n	n						
Heavy Glossy Cardstock	280 gsm	003R90351		A4	n	n	n	n	n	n	n	M	n	A	n	n	n	n	n	n		
		003R90352		A3	n	n	n	n	n	n	n	M	n	n	n	n	n	n	n	n		
		003R90353		SRA3	n	n	n	n	n	n	n	M	n	n	n	n	n	n	n	n		

If jams occur when feeding from Tray 1-4 or HCF, switch to Bypass Tray (Tray 5) for improved performance with Glossy papers. Environmental conditions (high humidity) may require that this product be fed 1 sheet at a time.

Media	Paper Type Setting	Weight	Re-Order #	Type	Size	Trays						SMH (Bypass)	HCF	Integrated (A) Office Finisher		Professional (C) Finisher		Office (SB) Finisher LX		Additional Information			
						1	2	3	4	2	3			4	5	6	Stack	Staple	Stack		Staple	Stack	Staple
Xerox Colotech+ Silk Coated	Glossy	120 gsm	003R90355	Silk Text	A4	A	n	n	n	n	n	n	n	A	A	*	n	*	♦	*	♦	If jams occur when feeding from Tray 1-4 or HCF, switch to Bypass Tray (Tray 5) for improved performance with Glossy papers. Environmental conditions (high humidity) may require that this product be fed 1 sheet at a time.	
			003R90356		A3	A	n	n	n	n	n	n	n	n	A	n	*	n	*	♦	*		♦
			003R90357		SRA3	n	n	n	n	n	n	n	n	n	n	A	n	*	n	*	♦		*
	Glossy	140 gsm	003R90358	Silk Text	A4	A	n	n	n	n	n	n	n	A	A	*	n	*	♦	*	♦		
			003R90359		A3	A	n	n	n	n	n	n	n	n	A	n	*	n	*	♦	*		♦
			003R90360		SRA3	n	n	n	n	n	n	n	n	n	n	A	n	*	n	*	♦		*
	Glossy Cardstock	170 gsm	003R90361	Silk Cover	A4	S	n	n	n	n	n	n	n	M	n	*	n	*	♦	*	♦		
			003R90362		A3	S	n	n	n	n	n	n	n	M	n	*	n	*	♦	*	♦		
			003R90363		SRA3	n	n	n	n	n	n	n	n	n	M	n	*	n	*	♦	*		♦
	Glossy Cardstock	210 gsm	003R90364	Silk Cover	A4	S	n	n	n	n	n	n	n	M	n	*	n	*	♦	*	♦		
			003R90365		A3	S	n	n	n	n	n	n	n	M	n	*	n	*	♦	*	♦		
			003R90366		SRA3	n	n	n	n	n	n	n	n	n	M	n	*	n	*	♦	*		♦
Glossy Cardstock	250 gsm	003R90367	Silk Cover	A4	S	n	n	n	n	n	n	n	M	n	*	n	*	♦	*	♦			
		003R90368		A3	S	n	n	n	n	n	n	n	M	n	*	n	*	♦	*	♦			
		003R90369		SRA3	n	n	n	n	n	n	n	n	n	M	n	*	n	*	♦	*	♦		
Heavy Glossy Cardstock	280 gsm	003R90370	Gloss Cover	A4	n	n	n	n	n	n	n	n	M	n	*	n	*	♦	*	♦			
		003R90371		A3	n	n	n	n	n	n	n	n	M	n	*	n	*	♦	*	♦			
		003R90372		SRA3	n	n	n	n	n	n	n	n	n	M	n	*	n	*	♦	*	♦		
Xerox Colotech+ Supergloss (C1S)	Glossy	160 gsm	003R97680		A4	A	n	n	n	n	n	n	A	A	*	n	*	♦	*	♦			
			003R97681		A3	A	n	n	n	n	n	n	n	A	n	*	n	*	♦	*	♦		
	Glossy Cardstock	210 gsm	003R97682		A4	S	n	n	n	n	n	n	n	M	n	*	n	*	♦	*	♦		
			003R97683		A3	S	n	n	n	n	n	n	n	M	n	*	n	*	♦	*	♦		
003R97684	SRA3	n	n	n	n	n	n	n	n	n	M	n	*	n	*	♦	*	♦					
Xerox Colour Laser Labels	Labels		003R93872	1 up	A4	S	n	n	n	n	n	n	n	S	S	*	n	*	n	n	n	Professional Finisher (C) can only stack to Top Tray. If toner rubs off sheet, switch to Cardstock mode.	
			003R95813	4 up	A4	S	n	n	n	n	n	n	n	n	S	S	*	n	*	n	n		n
			003R93874	8 up	A4	S	n	n	n	n	n	n	n	n	S	S	*	n	*	n	n		n
			003R93875	14 up	A4	S	n	n	n	n	n	n	n	n	S	S	*	n	*	n	n		n
			003R95815	21 up	A4	S	n	n	n	n	n	n	n	n	S	S	*	n	*	n	n		n
			003R97524	24 up	A4	S	n	n	n	n	n	n	n	n	S	S	*	n	*	n	n		n
Xerox High Speed Laser Removable Labels	Labels		003R96177	16 up	A4	S	n	n	n	n	n	n	S	S	*	n	*	n	n	n	Professional Finisher (C) can only stack to Top Tray. If toner rubs off sheet, switch to Cardstock mode.		
003R96178	24 up	A4	S	n	n	n	n	n	n	n	n	S	S	*	n	*	n	n	n				
Xerox High Speed Laser labels	Labels		003R96284	10 up	A4	S	n	n	n	n	n	n	S	S	*	n	*	n	n	n	Professional Finisher (C) can only stack to Top Tray. If toner rubs off sheet, switch to Cardstock mode.		
Xerox Colotech Supergloss Labels	Glossy Cardstock		003R97288	1 up	A4	S	n	n	n	n	n	n	S	S	*	n	*	n	n	n	Professional Finisher (C) can only stack to Top Tray		
			003R97540	1 up	SRA3	n	n	n	n	n	n	n	n	S	n	*	n	*	n	n		n	
Xerox Colotech Supergloss CD Labels	Glossy Cardstock		003R97516	2 up	A4	S	n	n	n	n	n	n	S	S	*	n	*	n	n	n	Professional Finisher (C) can only stack to Top Tray		
Xerox Colour Laser Matte CD Labels, Combi Box	Lightweight Cardstock		003R97515	2 up	A4	S	n	n	n	n	n	n	S	S	*	n	*	n	n	n	Professional Finisher (C) can only stack to Top Tray		
Xerox Plain Transparency for Colour	Transparency		003R98205	Standard Transp.	A4	S	S	S	S	S	S	S	S	S	*	n	*	n	n	n	Paper Type Transparency should be displayed on the User Interface for trays / Bypass. It is not recommended to output more than 20 transparencies at a time. Professional Finisher (C) can only stack to Top Tray.		
Xerox Universal Transfer Paper	Lightweight Cardstock		003R93544	T shirt	A4	n	n	n	n	n	n	n	S	S	*	n	*	n	n	n	Transfer Paper is not intended as sole application of machine. Limit monthly usage.		
			003R93545	Transfer	A3	n	n	n	n	n	n	n	n	S	S	*	n	*	n	n		n	
Envelopes	Envelope	75 - 90 gsm		C5	162x229mm	n	n	n	n	n	n	n	S	n	*	n	*	n	n	n	Envelope tray is available as an option. Envelopes are run in Heavyweight mode. Wrinkles with certain brands / type is possible. If wrinkles are encountered, try a different brand / type.		
				DL	110x220mm	n	n	n	n	n	n	n	n	S	n	*	n	*	n	n		n	