

Recommended Xerox Materials for WorkCentre 7328, 7335, 7345 Color (Europe)

Revision 1.3, August 2007

Last Revision July 2007

Important Note:

All media is listed by product, Paper Type System Setting, Paper Type, weight (standard gsm), re-order number, size, and tray runability. The additional information column is for hints and tips on how to run certain media applications. Paper type System Setting and Paper Types for use with finisher option are identified within parentheses (). Any paper identified in parentheses can also be delivered to the Center Output Tray. Custom 5 has been preset to Bond S, you may change name if desired. Alternative Gloss settings are referenced in pink which will slow machine output speed and increase gloss on output. Alternative Gloss settings Gloss 1A, Gloss 1C, and Coated 1 Gloss cannot be auto duplexed. Please refer to the WorkCentre 7328, 7335, 7345 User Guide.

Media recommendations made in this publication are based on qualification tests* conducted using standard test images with moderate to heavy image area coverage. Test duration for each product/media type is based on the suggested machine monthly copy/print volume. Test machines are maintained within specifications defined by user documentation.

* Testing environment Temperature 23 degreesC±2, Relative Humidity 50% ±5.

*Machine reliability specifications may be affected by increased usage of the Heavyweight 1, Heavyweight 2, Coated 1, and Coated 2 modes. In addition, variances in machine reliability may occur due to extended use of some media types. Your Xerox service representative can advise you on using Heavyweight 1, Heavyweight 2, Coated 1, and Coated 2 modes or special application media types for long duration copy/print runs.

For specifications and a description of the various media types discussed in this publication, please refer to the Color Material Usage Guide that comes with your equipment.

© 2007 Xerox Corporation. All rights reserved.

Xerox® and all Xerox product names and product names and product numbers mentioned in this publication are trademarks of Xerox Corporation. Other company trademarks are also acknowledged.

Xerox Recommended Material List (Europe)

Trays 1,2,3,4& 5-Plain/Bond/Recycled (64-105gsm) Transparency Heavyweight Plain & Glossy (106-169gsm) label Extra Heavyweight Plain & Heavyweight Glossy (170-220gsm)	WorkCentre 7328, 7335, 7345	A=Auto Duplex, M=Manual Duplex, S=Simplex Only, PCW=Post Consumer Waste, ECF=Elemental Chlorine Free * Sizes Not Available from HCF	Please use the Recommended Media List in conjunction with the user guide. Updates to this Recommended Media List will be found on www.xerox.com, select "Country", then "Supplies".
Media Paper Type Weight Re-Order #	Type Size	TRAYS 1-4 Bypass	Additional Information
Lightweight - 60 gsm - 3R91713	A4 _→	s -	Paper Type Lightweight should be displayed on the user interface for Trays/Bypass.
Plain 80 gsm 3R91720 Xerox Premier	A4 → A3 →	A A A A A A A A [*] A [*] A	Paper Type <i>Plain</i> should be displayed on the user interface for Trays/Bypass.

Xerox Premier			_	3R91/21		A3	-	A	Α	A*	A*	Α		
	-	Bond	90 gsm	3R91854 3R91853	-	A4 A3	┢	A	A A	A A*	A A*	A A		Paper Type <i>Bond</i> should be displayed on the user interface for Trays/Bypass.
	H	eavyweight	120gsm	3R93007		A4	┝╸	A	Α	Α	A	Α	┝┥	Paper Type Heavyweight should be displayed on the user interface for Trays/Bypass.
Xerox Business	-	Plain	80 gsm	3R91820 3R91821		A4 A3	Þ	A	A	A A*	A A*	A	 •[Paper Type <i>Plain</i> should be displayed on the user interface for Trays/Bypass.
Xerox Recycled Supreme		Recycled	80 gsm	3R91165 3R91166	 	A4 A3	Þ	A A	A	A A*	A A*	A A	-	Paper Type Recycled should be displayed on the user interface for Trays/Bypass.
Xerox Exclusive		Plain	80 gsm -	3R90208 3R91712 3R90209		A4 A4-4 hole A3		A A A	A A A	A A A*	A A A*	A A A		Paper Type <i>Plain</i> should be displayed on the user interface for Trays/Bypass.
	_	Bond	90 gsm	3R90600 3R90618		A4 A3		A	A	A A*	A A*	A A	-	Paper Type <i>Bond</i> should be displayed on the user interface for Trays/Bypass.
_		Bond	80 gsm	3R97661 3R97662		A4 A3	Þ	A	A	A A*	A A*	A A		Paper Type Bond should be displayed on the user interface for Trays/Bypass.
	_	Bond	90 gsm	3R97663 3R97664 3R97665		A4 A3 SRA3		A	A	A A*	A A*	A A M		Paper Type Bond should be displayed on the user interface for Trays/Bypass.
Xerox Digital Colour Impressions	_	Bond	100 gsm	3R97666 3R97667 3R97668		A4 A3 SRA3		A	A	A A*	A A*	A M	-	Paper Type <i>Bond</i> should be displayed on the user interface for Trays/Bypass. Alternate Paper Type- Heavy Weight can be selected for higher gloss.
	н	eavyweight	120gsm	3R97669 3R97670		A3 SRA3		Α	A	A*	A *	A M		Paper Type <i>Heavyweight</i> should be displayed on the user interface for Trays/Bypass.

Page 2 of 6

Xerox Recommended Material List (Europe)

ays 1,2,3,4& 5-Plain/Bond/Recycled (64-105gsm) Transparency avyweight Plain & Glossy (106-169gsm) label tra Heavyweight Plain & Heavyweight Glossy (170-220gsm)					orkCentre , 7335, 734	S=S EC	Cor F=Elen	c Only, nsumer nental (PCV Waste, Chlorin			Please use the Recommended Media List in conjunction with the user guide. Updates to this Recommended Media List will be found on www.xerox.com, select "Country", then "Supplies".			
Media		Paper Type	Weight	Re-Order #	Туре	Size]			YS 1-4		Bypass		Additional Information	
								1	2	3	4	5			
	1 [3R94641	[A4	⊢∙	Α	Α	Α	Α	Α			
	Ш	Bond	90 gsm	3R94642		A3	→	Α	Α	A*	A *	Α		Paper Type Bond should be displayed on the user interface for Trays/Bypass.	
		Bona	oo gam	3R94643		A3+	-			-		М	F		
	ΙL			3R95838		SRA3	⊢►					М			
	Ιſ			3R94646		A4	⊢►	Α	Α	Α	Α	Α			
		Bond	100 gsm	3R94647		A3	⊢►	Α	Α	A *	A *	Α	-	Paper Type Bond should be displayed on the user interface for Trays/Bypass.	
		Bond	roo gam	3R94648		A3+	►					М		Alternate Paper Type- Heavy Weight can be selected for higher gloss.	
				3R95839		SRA3	╘		_			М			
	I	Heavyweight		3R94651	[A4	⊦≁	Α	Α	Α	Α	А			
			120gsm	3R94652		A3	⊢►	Α	Α	A *	A *	А		Paper Type Heavyweight should be displayed on the user interface for Trays/Bypass.	
	П		120gsin	3R94653		A3+	⊢►					м		Paper Type neavyweight should be displayed on the user interface for Trays/Bypass.	
				3R95840	I	SRA3	⊢►					М			
	17			3R94656		A4	⊢•	Α	Α	Α	Α	Α			
	Н			3R94657		A4 A3	⊢►	A	A	A*	A*	A	-		
Xerox Digital Colour Colotech+		Heavyweight	160gsm	3R94658		A3+	⊢►					M		Paper Type <i>Heavyweight</i> should be displayed on the user interface for Trays/Bypass.	
				3R95841	ł	SRA3	⊢►					М			
	17			3R94661		A4	⊢►	S	S	S	S	М			
	Н	Extra		3R94662	-	A4 A3		S	S	S*	S*	M	->		
		Heavyweight	200 gsm	3R94663		A3+	⊢►		0	0	0	M			
				3R95842		SRA3	⊢►					M			
				3R94668		A 4		_				м	F	Paper Type Extra Heavyweight should be displayed on the user interface for Trays/Bypass. Fo 2nd side printing from Bypass Tray, use Extra Heavywt (Side 2) as paper type.	
	Н		-	3R94669		A4 A3	L	S S				M	->		
		Extra Heavyweight	220 gsm	3R94609	-	A3+	_	3				M			
		Heavyweight		3R95843	-	A3	⊢►					 M			
				3133043	 	AJ	1					IVI			
		Extra	-	3R94671		A4			M	per Type Extra Heavyweight should be displayed on the user interface for Trays/Bypass. For a					
		Heavyweight	250 gsm	3R94672		A3	┝					М	ra	side printing from Bypass Tray, use Extra Heavywt (Side 2) as paper type.	
	rieavyweigi			3R95844		SRA3	⊢►					м			

Page 3 of 6

Xerox Recommended Material List (Europe)

Heavyweight Plain & Glossy (106-169gs	ys 1,2,3,4& 5-Plain/Bond/Recycled (64-105gsm) Transparency avyweight Plain & Glossy (106-169gsm) label ra Heavyweight Plain & Heavyweight Glossy (170-220gsm)											l Duplex, V=Post e Free m HCF		Please use the Recommended Media List in conjunction with the user guide. Updates to this Recommended Media List will be found on www.xerox.com, select "Country", then "Supplies".
Media	P	Paper Type	Weight	Re-Order #	Туре	Size	F		TRAY			Bypass] [Additional Information
	_	Bond	90 gsm	3R97988 3R97990 3R97991		A4 A3 SRA3	_ → → →	1 A A	2 A - A	3 A A*	4 A A*	5 A A M		Paper Type <i>Bond</i> should be displayed on the user interface for Trays/Bypass.
-		Bond	100 gsm	_3R97993 3R97955 3R97956		A4 A3 SRA3	→ → →	A A	A A	A A*	A A*	A A M		Paper Type <i>Bond</i> should be displayed on the user interface for Trays/Bypass. Alternate Paper Type- Heavy Weight can be selected for higher gloss.
-	He	eavyweight	120gsm	3R97958 3R97959 3R97960	·	A4 A3 SRA3	→ → →	A	A A	A A*	A A*	A A M		Paper Type Heavyweight should be displayed on the user interface for Trays/Bypass.
Xerox Digital Colour Colotech+ GOLD	He	eavyweight	160gsm	3R97963 3R97964 3R97965		A4 A3 SRA3	→ → →	A A	A A	A A*	A A*	A A M		Paper Type Heavyweight should be displayed on the user interface for Trays/Bypass.
_	He	Extra eavyweight	200 gsm	3R97967 3R97968 3R97969		A4 A3 SRA3	→ → →	S S	S S S S*	S S*	M M M	┢	Paper Type <i>Extra Heavyweight</i> should be displayed on the user interface for Trays/Bypass. For	
	He	Extra eavyweight	220 gsm _	3R97971 3R97972 3R97973		A4 A3 SRA3	→ → →	S S				M M M		2nd side printing from Bypass Tray, use Extra Heavywt (Side 2) as paper type.
	He	Extra eavyweight	250 gsm	3R97975 3R97976		A4 A3	→ →					M M	+	Paper Type Extra Heavyweight should be displayed on the user interface for Trays/Bypass. For 2n side printing from Bypass Tray, use Extra Heavywt (Side 2) as paper type.

3R97977

SRA3

м

Page 4 of 6

Xerox Recommended Material List (Europe)

Trays 1,2,3,4& 5-Plain/Bond/Recycled (64-105gsm) Transparency Heavyweight Plain & Glossy (106-169gsm) Iabel Extra Heavyweight Plain & Heavyweight Glossy (170-220gsm)					orkCentre , 7335, 734	5	S=S EC	implex Cor F=Eler	c Only, nsumer mental	PC\ Waste Chlorin		7	Please use the Recommended Media List in conjunction with the user guide. Updates to this Recommended Media List will be found on www.xerox.com, select "Country", then "Supplies".	
Media	Туре	Size]			YS 1-4		Bypass]	Additional Information				
								1	2	3	4	5		
		Bond –	_ 100 gsm	3R97102 3R97103 3R97254 3R97275		A4 A3 A3+ SRA3		A	A	A A*	A A*	A A M		Paper Type <i>Bond</i> should be displayed on the user interface for Trays/Bypass. Alternate Paper Type- Heavy Weight can be selected for higher gloss.
Xerox Colotech+ Natural White		Heavyweight	- 160gsm -	3R95956 3R95957 3R94648 3R97276		A4 A3 A3+ SRA3		A	A A	A A*	A A*	A A — M M		Paper Type <i>Heavyweight</i> should be displayed on the user interface for Trays/Bypass.
		Extra Heavyweight	200gsm	3R95958 3R95959 3R97256 3R97277		A4 A3 A3+ SRA3		S S	S S	S S*	S S*	M M M		Paper Type <i>Extra Heavyweight</i> should be displayed on the user interface for Trays/Bypass. For 2nd side printing from Bypass tray, use <i>Extra Heavywt</i> (<i>Side</i> 2) as paper type.
	_	Glossy	120gsm	3R97574 3R97575 3R97576		A4 A3 SRA3		A				A A M		Paper Type <i>Glossy</i> should be displayed on the user interface for Trays/Bypass. Alternate Paper Type- <i>Custom</i> 6 can be selected for higher gloss.
Xerox Digital Colour Colotech+	ox Digital Colour Colotech+	Glossy	140gsm	3R97577 3R97578 3R97579		A4 A3 SRA3		A				A A M		Environmental conditions may require that this product be fed one sheet at a time. Gloss variation can occur from machine rolls, especially on high area coverage prints.
Gloss Coated Text & Covers		Heavyweight Glossy	170gsm	3R97580 3R97581 3R97582		A4 A3 SRA3		S S				M M M		Paper Type <i>Heavyweight Gl</i> ossy should be displayed on the user interface for Trays/Bypass. For 2nd side printing from Bypass Tray, use <i>Heavywt Glossy (Side 2)</i> as paper type.
		Heavyweight Glossy	210gsm	3R97583 3R97584 3R97585		A4 A3 SRA3		S S				M M M		Environmental conditions may require that this product be fed one sheet at a time. Gloss variation can occur from machine rolls, especially on high area coverage prints.

Page 5 of 6

Xerox Recommended Material List (Europe)

Heavyweight Plain & Glossy (106-169g	rays 1,2,3,4& 5-Plain/Bond/Recycled (64-105gsm) Transparency leavyweight Plain & Glossy (106-169gsm) label xtra Heavyweight Plain & Heavyweight Glossy (170-220gsm)					orkCentre 3, 7335, 734	5	S=S EC	Simplex	Only, sumer V iental C	PCV Vaste, hlorine	e Free		Please use the Recommended Media List in conjunction with the user guide. Updates to this Recommended Media List will be found on www.xerox.com, select "Country", then "Supplies".
Media		Paper Type	Weight	Re-Order #	Туре	Size			TRAY			Bypass		Additional Information
		Glossy	120gsm	3R97592 3R97593 3R97594		A4 A3 SRA3		1 A A	2	3	4	5 A A M	-	Paper Type Glossy should be displayed on the user interface for Trays/Bypass. Alternate Paper Type- <i>Custom</i> 6 can be selected for higher gloss.
Xerox Digital Colour Colotech+	ļ	Glossy	140gsm	3R97595 3R97596 3R97597		A4 A3 SRA3		A				A A M		Environmental conditions may require that this product be fed one sheet at a time. Gloss variation can occur from machine rolls, especially on high area coverage prints.
Silk Coated Text & Covers		Heavyweight Glossy	170gsm	3R97598 3R97599 3R97600		A4 A3 SRA3		S S				S S S	↑ †	Paper Type <i>Heavyweight Glossy</i> should be displayed on the user interface for Trays/Bypass. For 2nd side printing from Bypass Tray, use <i>Heavywt Glossy (Side 2)</i> as paper type.
	Η	Heavyweight Glossy	210gsm	3R97601 3R97602 3R97603		A4 A3 SRA3		S S				S S S	↑	Environmental conditions may require that this product be fed one sheet at a time. Gloss variation can occur from machine rolls, especially on high area coverage prints.
		Glossy	135gsm 160gsm	3R97679 3R97680 3R97681		A4 A4 A3	}→ → →	A A A				M M M	†	Paper Type <i>Glossy</i> should be displayed on the user interface for Trays/Bypass.
Xerox Colotech+ Supergloss		Glossy	210 gsm	3R97682 3R97683 3R97685 Pre-Scored		A4 A3 A4		A A A				M M M	+	Alternate Paper Type- <i>Custom</i> 6 can be selected for higher gloss. Environmental conditions may require that this product be fed one sheet at a time. Glos variation can occur from machine rolls, especially on high area coverage prints.
Xerox Colour Copier Laser Labels		Label		3R93872 3R95813 3R93874 3R93875 3R95815 3R97524	1-up 4-up 8-up 14-up 21-up 24-up	A4 A4 A4 A4 A4 A4		S S S S S S				S S S S S S	->	Paper Type <i>Label</i> should be displayed on the user interface for Bypass. Alternate Paper Type- Heavyweight can be selected in case of any PQ relted issues. Labels are not intended as sole application of machine.
Xerox Supergloss Labels		Heavyweight Glossy		3R97288 3R97540	1-up 1-up	A4 SRA3		S S				S S	->	Paper Type Labe/ should be displayed on the user interface for Bypass. Alternate Paper Type- Heavyweight or Labe/ can be selected in case of any PQ relted issues. Only allow a 5-10 sheets of the SRA3 labels to collect in the output tray. Labels are not intended as sole application of machine.

Page 6 of 6

Xerox Recommended Material List (Europe)

Trays 1,2,3,4& 5-Plain/Bond/Recycled (6 Heavyweight Plain & Glossy (106-169gs Extra Heavyweight Plain & Heavyweight	m) label	WorkCentre 7328, 7335, 7345	A=Auto Duplex, M=Manual Duplex, S=Simplex Only, PCW=Post Consumer Waste, ECF=Elemental Chlorine Free * Sizes Not Available from HCF	Please use the Recommended Media List in conjunction with the user guide. Updates to this Recommended Media List will be found on www.xerox.com, select "Country", then "Supplies".
Media	Paper Type Weight Re-Order	Type Size	TRAYS 1-4 Bypass 1 2 3 4 5	Additional Information
Xerox Color Laser Dura Paper Label	Label 3R97344	1-up A4	s s	Paper Type <i>Label</i> should be displayed on the user interface for Bypass. Alternate Paper Type- <i>Heavyweight</i> can be selected in case of any PQ relted issues. Labels are not intended as sole application of machine

		1											
Xerox Removable Labels	Label		3R96177 3R96178	16-up 24-up	A4 A4		S S				S S		Paper Type <i>Label</i> should be displayed on the user interface for Bypass. Alternate Paper Type- <i>Heavyweight</i> can be selected in case of any PQ relted issues. Labels are not intended as sole application of machine
Xerox Plain Transparency for Colour	Transparency		3R98205		A4	┣	s	S	S	S	S	 →	Paper Type <i>Transparency</i> should be displayed on the user interface for trays/Bypass. It is not recommended to output more than 20 transparencies at a time.
Xerox Digital Color DocuPac Prsentation Folder High Gloss White	Heavyweight Glossy	210 gsm	3R97251		Custom] →					S	ŀ	Custom size setting is 232 x 310 mm. Paper Type <i>Heavyweight Glossy</i> should be displayed on the user interface for Bypass. Output will have some curl. Image one sheet then assemble folder to ensure correct image placement.
Xerox Digital Color DocuPac Prsentation Folder Matt White	Extra Heavyweight	- 180 gsm -	3R97353		Custom						s	→	Custom size setting is 232 x 310 mm. Paper Type <i>Extra Heavyweight</i> should be displayed on the user interface for Bypass. Image one sheet then assemble folder to ensure correct image placement.
Xerox Colour Laser Gloss CD labels	Heavyweight Glossy	<u> </u>	3R97287	2-up	A4	L					S	-•	Only allow 5 to 10 sheets of the labels to collect in the outpu tray. Labels are not intended as sole application of machine.
Xerox Colour Laser Matt CD labels Combi Box	Heavyweight		3R97515	2-up	A4	 -	S				s		Paper Type <i>Heavyweight</i> should be displayed on the user interface for Tray/Bypass. Alternate Paper Type- <i>Label</i> can be selected in case of any PQ relted issues. Labels are not intended as sole application of machine.
DuraPaper	Custom 6		3R97513		SRA3	┝					М		Paper Type Custom 6 should be displayed on the user interface for Bypass. Envirionmental conditions may require that this product be fed one sheet at a time.
Xerox High Speed Laser Labels	Label		3R96284	10-up	A4	 -,	S				S		Paper Type Label should be displayed on the user interface for Bypass. Alternate Paper Type- Heavyweight can be selected in case of any PQ relted issues. Labels are not intended as sole application of machine

WARRANTY DISCLAIMER

Xerox makes no guarantees or warranties, either express or implied, concerning the performance, use or replacement of non-Xerox branded media or throughput products. Customers should inquire directly of their paper distributor or manufacturer for any guarantees they may offer. When purchasing a particular media product for the first time, customers are advised to purchase small quantities to insure that their expectations are met.

The quality of Xerox supplies is consistent from ream to ream, carton to carton, and it is backed by a Xerox 100% guarantee. The quality of non-Xerox branded paper may vary from ream to ream or carton to carton, so for optimum performance on Xerox color equipment, use only the best--Xerox Supplies.

© 2006 Xerox Corporation. All rights reserved.

Xerox®, The Document Company®, the stylized X®, and all Xerox product names and product names and product numbers mentioned in this publication are trademarks of Xerox Corporation. Other company trademarks are also acknowledged.