

## Tested Media List for Xerox® Wide Format IJP 2000

### Version 2.3 Updated May 2015

This supersedes any previous Recommended/Tested Media List for Xerox® Wide Format IJP 2000.

#### **Important Notes:**

Media recommendations made in this publication are based on qualification tests conducted using standard test images with moderate image area coverage. Test machines are maintained within specifications defined by user documentation.

This list is provided as a reference to customers to understand some of the products that have been evaluated.

Reliability is based on customer operating environment and application mix, and also may be affected by high usage of heavyweight and specialty stocks. In addition, variances in machine reliability may occur due to extended use of some media types.

#### Warranty disclaimer:

Xerox makes no guarantees or warranties, either expressed or implied, concerning the performance, use or replacement of non-Xerox branded media or throughput products. Customers should inquire directly with their paper distributor or manufacturer for any guidance when purchasing a particular media product for the first time, customers are advised to purchase small quantities to ensure that their expectations are met. The quality of non-Xerox branded paper may vary.

©2015 Xerox Corporation. All rights reserved.

XEROX® and XEROX and Design® are trademarks of Xerox Corporation in the United States and/or other countries.

# Tested Third Party Media for Xerox® Wide Format IJP 2000 Updated May 2015 These products have been evaluated by Xerox under controlled conditions. It is recommended you test in your print environment with representative applications to evaluate suitability.

hese produ	ucts have b	een evaluate	d by Xerox under contro	olled conditions. It is rec	commended you test in your print environm	ent with representa	tive applicatio	ns to e	valuate suitability.  Contact	
Paper Type	Region	Supplier	Brand	Part Number	Description	Caliper or gsm	Width (in)	Size (in)		Notes
Турс	ricgion	Cupplici	Drang	T dit Namber	Description	ounper or goin	Width (III)	(,	www.cmaimaging.com or Legion Paper	
oated	WW	CMA	CMA	APGL195	CMA GAL'ART Photo Gloss	195 gsm	36, 42	3	in US www.cmaimaging.com or Legion Paper	bundled pricing available through Legion Paper in NA
oated	ww	CMA	CMA	APSM195	CMA GAL'ART Photo Satin	195 gsm	36, 42	3	in US www.cmaimaging.com or Legion Paper	bundled pricing available through Legion Paper in NA
coated	ww	CMA	CMA	APSM180	CMA GAL'ART PhotoProduction	180 gsm	36, 42	3	in US www.cmaimaging.com or Legion Paper	bundled pricing available through Legion Paper in NA
pecialty	WW	CMA	CMA	AFGL180	CMA GAL'ART Backlit Gloss	180 gsm	36, 42	3	in US www.cmaimaging.com or Legion Paper	bundled pricing available through Legion Paper in NA
oated	ww	CMA	CMA	APLU140	CMA GAL'ART LusterPaper	140 gsm	36, 42		<u>in US</u>	bundled pricing available through Legion Paper in NA
pecialty	ww	GAP+F	Sihl	3136	Exhibit Pro6 Rollup Film Satin	6 mil	36"	2	Global Alliance Paper + Film, Tom Vendetti, tvendetti@gap-f.com	2" cores can have an impact on reliability towards end of roll due to curl.
coated	ww	Mistubishi	Mitsubishi Imaging	UM120	Photograde Matte UM120	7 mil	various	3	various vendors	various widths available per supplier
oated	WW	Mitsubishi	Mitsubishi Imaging	UF120	Photograde Glossy UF120	7 mil	various	3	various vendors	various widths available per supplier
oated	ww	Mitsubishi	Mitsubishi Imaging	DJMP	Diamond Jet Metallic	7 mil	various	3	various vendors	various widths available per supplier
pecialty	ww	Mohawk	Mohawk	81385	Matte Backlit Film	185 um	36 in	3	www.mohawkconnects.com	Custom profile available on www.mohawkmakeready.com Custom profile available on
pecialty	ww	Mohawk	Mohawk	81383	DuPont Tyvek	7 mil	36 in	3	www.mohawkconnects.com,	www.mohawkmakeready.com Custom profile available on
pecialty	ww	Mohawk	Mohawk	81384	Matte Polyester Adhesive - Permanent	176 gsm	36 in	3	www.mohawkconnects.com	www.mohawkmakeready.com Custom profile available on
oated	ww	Mohawk	Mohawk	81387	Inkjet Gloss	95 gsm	30 in	3	www.mohawkconnects.com	www.mohawkmakeready.com Custom profile available on
pecialty	WW	Mohawk	Mohawk	81386	Textured Light Block	7.8 mil	36 in	3	www.mohawkconnects.com Rich Color, David Song,	www.mohawkmakeready.com
oated	WW	Rich Color	Rich Color	PP140ML	170g Double Matte	170 gsm	various	3	wfrichcolor@yeah.net Rich Color, David Song,	
oated	ww	Rich Color	Rich Color	PP130ML	140g Double Matte	140 gsm	various	3	wfrichcolor@yeah.net Rich Color, David Song,	
oated	ww	Rich Color	Rich Color	MPA190S	190g Satin Photo Paper	190 gsm	various	3	wfrichcolor@yeah.net	
pecialty	ww	Rich Color	Rich Color	PP160MA	Self Adhesive PolyPropylene	200 um	various	3	Rich Color, David Song, wfrichcolor@yeah.net	
oated	NA	Azon	Azon	769G24150-3	Photo Gloss	8 mil	24 in	3	www.azon.com , call 1-800-325 5939 to locate a distributor	
oated	NA	Azon	Azon	769G36150-3	Photo Gloss	8 mil	35 in	3	www.azon.com , call 1-800-325 5939 to locate a distributor	
oated	NA	Azon	Azon	769G42150-3	Photo Gloss	8 mil	42 in	3	www.azon.com , call 1-800-325 5939 to locate a distributor	
oated	NA	Azon	Azon	769S24150-3	Photo Satin	8 mil	42 in	3	www.azon.com , call 1-800-325 5939 to locate a distributor	
oated	NA	Azon	Azon	769S36150-3	Photo Satin	8 mil	36 in	3	www.azon.com, call 1-800-325- 5939 to locate a distributor	
oated	NA	Azon	Azon	769S42150-3	Photo Satin	8 mil	42 in	3	www.azon.com, call 1-800-325- 5939 to locate a distributor	
oated	NA	Azon	Azon	74736300-3	Premium Color Paper	27# - 4.8 mil	36 in	3	www.azon.com, call 1-800-325- 5939 to locate a distributor	
oated	NA	Azon	Azon	74742300-3	Premium Color Paper	27# - 4.8 mil	42 in	3	www.azon.com, call 1-800-325- 5939 to locate a distributor	
oated	NA	Azon	Azon	74724300-3	Premium Color Paper	27# - 4.8 mil	24 in	3	www.azon.com, call 1-800-325-5939 to locate a distributor	
oated	NA	Azon	Azon	71736150-3	Water Resistant Color Paper	24# - 4.9 mil	36 in	3	www.azon.com, call 1-800-325-5939 to locate a distributor	
oated	NA	Azon	Azon	74624200-3	Heavy Weight Premium Color Paper	45# - 8 mil	24 in	3	www.azon.com, call 1-800-325-5939 to locate a distributor	
oated	NA	Azon	Azon	74636200-3	Heavy Weight Premium Color Paper	45# - 8 mil	36 in	3	www.azon.com, call 1-800-325- 5939 to locate a distributor	

_								Core	Contact	
Paper Type	Region	Supplier	Brand	Part Number	Description	Caliper or gsm	Width (in)	Size (in)		Notes
Type	negion	Supplier	Bialiu	rait Nullibei	Description	Caliper or gain	widii (iii)	(111)	www.azon.com, call 1-800-325-	1
Coated	NA	Azon	Azon	74642200-3	Heavy Weight Premium Color Paper	45# - 8 mil	42 in	3	5939 to locate a distributor www.azon.com, call 1-800-325-	
Coated	NA	Azon	Azon	75936100-3	7 mil soft gloss	7 mil	24 in	3	5939 to locate a distributor www.azon.com , call 1-800-325	
Coated	NA	Azon	Azon	74636200-3	IJ Premium Color Bond	46 lb	36 in	3	5939 to locate a distributor www.azon.com, call 1-800-325-	
Specialty	NA	Azon	Azon	797N36100	White Opaque Polyester Film	5 mil - 180 gsm	36 in	3	5939 to locate a distributor www.azon.com, call 1-800-325-	
Specialty	NA	Azon	Azon	797N42100	White Opaque Polyester Film	5 mil - 180 gsm	42 in	3	5939 to locate a distributor www.azon.com , call 1-800-325	
Specialty	NA	Azon	Azon	79836100	White Opaque Block-Out Film	7 mil	36 in	3	5939 to locate a distributor	
Coated	NA	Dietzgen	Dietzgen	78236K-C	Microporous Gloss	7 mil	36 in	3	http://www.dietzgen.com/	
Coated	NA	Dietzgen	Dietzgen	79036K3	Microporous Gloss	8 mil	36 in	3	http://www.dietzgen.com/	
Coated	NA	Dietzgen	Dietzgen	78336K-c	Microporous Satin	7 mil	36 in	3	http://www.dietzgen.com/	
Coated	NA	Dietzgen	Dietzgen	74636K3	Premium Bond	36 lb	36 in	3	http://www.dietzgen.com/	
Coated	NA	Dietzgen	Dietzgen	74536300-с	Premium Coated Bond	24 lb	36 in	3	http://www.dietzgen.com/	
Coated Coated	NA NA	Dietzgen Domtar	Dietzgen Xerox	74836250-C 003R14021	C Color IJ Bond Universal Photo Paper Satin	28 lb 170 gsm	36 in 42 in	3 2	http://www.dietzgen.com/ www.domtar.com	
Coated	NA	Domtar	Xerox	003R14022	Universal Photo Paper Satin	170 gsm	36 in	2	www.domtar.com	Custom profile recommended. 2" cores can have an impact on reliability towards end of roll due to curl.
Coated	NA	LexJet	LexJet	8PSP17200	Production Photo Satin Paper	8 mil	17 in	2	www.lexjet.com	Custom profile recommended. 2" cores can have an impact on reliability towards end of roll due to curl. 2" cores can have an impact on reliability towards en
Coated	NA	LexJet	LexJet	8PSP24200	Production Photo Satin Paper	8 mil	24 in	2	www.lexjet.com	of roll due to curl. 2" cores can have an impact on reliability towards en
Coated	NA	LexJet	LexJet	8PSP36200	Production Photo Satin Paper	8 mil	36 in	2	www.lexjet.com	of roll due to curl. 2" cores can have an impact on reliability towards en
Coated	NA	LexJet	LexJet	8PSP42	Production Photo Satin Paper	8 mil	42 in	2	www.lexjet.com	of roll due to curl. 2" cores can have an impact on reliability towards e
Coated	NA	LexJet	LexJet	8PGP24	Production Photo Gloss Paper	8 mil	24 in	2	www.lexjet.com	of roll due to curl. 2" cores can have an impact on reliability towards e
Coated	NA	LexJet	LexJet	8PGP36	Production Photo Gloss Paper	8 mil	36 in	2	www.lexjet.com	of roll due to curl.  2" cores can have an impact on reliability towards e
Coated	NA	LexJet	LexJet	8PGP36200	Production Photo Gloss Paper	8 mil	36 in	2	www.lexjet.com	of roll due to curl.  2" cores can have an impact on reliability towards e
Coated	NA NA	LexJet LexJet	LexJet	8PGP42 HSPS36100	Production Photo Gloss Paper High Speed Production Satin	8 mil 8 mil	42 in 36 in	2	www.lexjet.com	of roll due to curl.  2" cores can have an impact on reliability towards e of roll due to curl.
Coated	NA	LexJet	LexJet	HSPG36100	High Speed Production Gloss	8 mil	36 in	3	www.lexjet.com	of foil due to carr.
Plain	NA	Neenah	Neenah	1624	Oxford Cover Texture	80 lb	sheet 40 in	na	Neenah.com	hand fed via sheet
Coated	NA		Que Media	QM - GLMPP-36	Production Glossy Photo	8 mil	36 in	3	Que Media	
Specialty	NA	Que Media	Que Media	QM - PFL - 36	Ultra Light Banner Fabric	8 mil	36 in	3	Que Media	Not recommended for high aera coverage (>120% very low curl until final 20 feet or so - some manual intervention may be needed at end of roll to aid
Specialty	NA	Que Media	Que Media	QM-DSWRPP-P36200	Polypro WR Matte	8 mil	36 in	2	Que Media	stacking.
Coated	EU	IGEPA	IGEPA		MasterJet Instant Foto Satin	120 gsm	36 in	2	www.igepa.com	2" cores can have an impact on reliability towards of
Coated	EU	IGEPA	IGEPA	LGI-MPM120R106	Matt Coated Paper	120 gsm	36 in	2	www.igepa.com	of roll due to curl.  2" cores can have an impact on reliability towards of the cores can have an impact on reliability towards of the cores can have an impact on reliability towards of the cores can have an impact on reliability towards of the cores can have an impact of the cores can have a core can
Coated	EU	Antalis	Coala	TBD	Photo Gloss	170gsm	42 in	3	www.antalis.co.uk/	of roll due to curl.
Jourca		A 4 - 11 -	Coala	TBD	Photo Satin	170gsm	42 in	3	www.antalis.co.uk/	
Coated	EU	Antalis	Guaia	100	i noto Satiri	17093111	72 111	0	www.aiitaiis.co.uk/	