



Xerox® WorkCentre™ 7970, 7970i - Europe Paper and Specialty Media Guide - March 2016

Version 2.0 - March 2016

This supersedes any previous Recommended Materials List for Xerox® WorkCentre™ 7970, 7970i
For your convenience, this guide includes the Recommended Media List.

The Recommended Media List contains Xerox® paper and specialty media, digitally optimized, designed from stringent specifications and manufactured for optimal and constant image quality performance.

Xerox® branded paper and specialty media have undergone rigorous testing by Xerox®. Any paper and print media that is featured on the Recommended Media List for a specific Xerox® printer or digital press will give optimum performance. This is how Antalis can offer 100% Performance Guaranteed.

Learn more at www.performance-guaranteed.com

Important Notes:

All media is listed by product, paper type, paper tray settings - image quality, weight (standard gsm), re-order number, size, tray runability, and Finisher / Folder runability. The additional information column is for hints and tips on how to run certain media applications.

Machine reliability specifications may be affected by increased usage of Cardstock, Heavyweight Cardstock, Glossy and Glossy Cardstock modes. In addition, variances in machine reliability may occur due to extended use of some media types. Your Xerox service representative can advise you on using Cardstock, Heavyweight Cardstock, Glossy and Glossy Cardstock modes or special application media types for long duration copy/print runs

Environmental Conditions may require that Glossy papers be fed one sheet at a time through Tray 5, (Bypass/SMH). Relative Humidity greater than 40% could cause multifeeds. Output may require removal at 25 sheets in the tray when not using a finisher.

For the BR Finisher and the BR Booklet Maker Finisher :

- The "Top Tray" capacity is 500 sheets of 20lb Bond / 80 gsm, Letter/A4 paper. All paper sizes supported by the machine are supported. Paper weights from 60 to 300 gsm are supported
- The "Stacker Tray" capacity for 20lb Bond / 80 gsm is 3000 sheets/200 sets of Letter / A4, 1500 sheets/100 sets, > Letter/ A 4, and 300 sheets/70 sets for mixed sizes. Weights from 60 to 300 gsm are supported.
- The "Stacker Tray" can stack sizes from B5 to 12 x 19 inches and staple sizes from B5 to Tabloid / A3.
- The "Stacker Tray" can staple a Max of 50 sheets of 24lb Bond / 90 gsm, and a Max of 25 sheets of 32lb Bond / 128 gsm papers. Papers up to 220 gsm can be stapled.

For the "Booklet Tray" on the BR Booklet Maker Finisher :

- Up to 24lb Bond / 90 gsm is available for Saddle stapled / Folded Booklets. Max capacity is 16 sheets of 24lb / 90 gsm. Max capacity is 12 sheets of 24lb / 90 gsm with 1 cover sheet up to 80lb cover / 220 gsm.
- Booklet Tray capacity is 20 sets of 24lb Bond / 90 gsm. All sheets must be fed SEF. For unstapled booklets, max size is 5 sheets of 24lb / 90 gsm.



© 2016 Antalis International. All rights reserved. Xerox® and Xerox Design® are trademarks of Xerox Corporation in the United States and other countries and are used under license from Xerox Corporation. Antalis International is a trademark licensee of Xerox Corporation.

Xerox® WorkCentre™ 7970, 7970i - Recommended Media List - Europe - March 2016

The Recommended Media List contains Xerox® paper and specialty media, digitally optimized, designed from stringent specifications and manufactured for optimal and constant image quality performance. Xerox® branded paper and specialty media have undergone rigorous testing by Xerox®. Any paper and print media that is featured on the Recommended Media List for a specific Xerox® printer or digital press will give optimum performance. This is how Antalis can offer 100% Performance Guaranteed.

Trays 1,2,3, TTM, SMH & HCF

Plain / Bond / Recycled (64 - 105 gsm)	Glossy (106 - 169 gsm)	Lightweight Cardstock (106 - 169 gsm)
Glossy Cardstock (170 - 256 gms)	Heavy Glossy Cardstock (257 - 300 gms)	Cardstock (170 - 256 gsm)
Transparency	Labels	Heavyweight Cardstock (257 - 300 gsm)

Paper Types are selected when Paper Tray is closed

**WorkCentre™
7970, 7970i
RML
Europe
V 2.0**

Media	Paper Type Setting	Weight	Re-Order #	Type	Size	Trays						Finisher Capabilities						Additional Information						
						3TM			TTM			SMH (Bypass)	HCF	BR Finisher		BR Booklet Maker Finisher			CZ Folder					
						1	2	3	4	2	3	4	5	6	Stack	Staple	Stack		Staple	Books (SEF)	Bi-fold (SEF)	'Z'	Letter 'Z'	Letter 'C'
Xerox® Business	Plain	80 gsm	003R91820	Recycled	A4	A	A	A	A	A	A	A	A	A	t	t	t	t	t	n	t	t		
			003R91821		A3	A	A	A	A	A	n	n	A	n	t	t	t	t	t	t	n	n	n	
Xerox® Premier	Plain	80 gsm	003R91720	Recycled	A4	A	A	A	A	A	A	A	A	A	t	t	t	t	t	n	t	t		
			003R91721		A3	A	A	A	A	A	n	n	A	n	t	t	t	t	t	t	n	n	n	
Xerox® Recycled Supreme 100%	Bond	90 gsm	003R91854	Recycled	A4	A	A	A	A	A	A	A	A	A	t	t	t	t	t	n	t	t		
			003R91853		A3	A	A	A	A	A	n	n	A	n	t	t	t	t	t	t	n	n	n	
Xerox® Exclusive	Recycled	80 gsm	003R95860	4 hole	A4	A	A	A	A	A	A	A	A	A	t	t	t	t	t	n	t	t		
			003R95861		A3	A	A	A	A	A	n	n	A	n	t	t	t	t	t	t	n	n	n	
Xerox® Colour Impressions	Plain	80 gsm	003R90208	4 hole	A4	A	A	A	A	A	A	A	A	A	t	t	t	t	t	n	t	t		
			003R91712		A4	A	A	A	A	A	A	A	A	A	t	t	t	t	t	t	n	t	t	
	003R90209	A3	A	A	A	A	A	n	n	A	n	t	t	t	t	t	t	n	n	n				
	Bond	90 gsm	003R90600	4 hole	A4	A	A	A	A	A	A	A	A	A	t	t	t	t	t	n	t	t		
			003R90618		A3	A	A	A	A	A	n	n	A	n	t	t	t	t	t	t	n	n	n	
	Bond	100 gsm	003R97661	4 hole	A4	A	A	A	A	A	A	A	A	A	t	t	t	t	t	n	t	t		
			003R97662		A3	A	A	A	A	A	n	n	A	n	t	t	t	t	t	t	n	n	n	
			003R97663		A4	A	A	A	A	A	A	A	A	A	t	t	t	t	t	t	n	t	t	
			003R97664		A3	A	A	A	A	A	n	n	A	n	t	t	t	t	t	t	n	n	n	
			003R97665		SRA3	A	A	A	A	A	n	n	A	n	t	n	t	n	t	n	n	n	n	
003R97666			A4		A	A	A	A	A	A	A	A	A	A	t	t	t	t	n	n	n	n	n	
Lightweight Cardstock	120 gsm	003R97667	4 hole	A3	A	A	A	A	A	A	A	A	n	t	t	t	n	t	n	n	n			
		003R97668		SRA3	A	A	A	A	A	n	n	A	n	t	n	t	n	n	t	n	n	n		
Cardstock	250 gsm	003R97669	4 hole	A3	A	A	A	A	A	n	n	A	n	t	t	t	t	n	n	n	n			
		003R97670		SRA3	n	A	A	A	A	n	n	A	n	t	n	t	n	n	t	n	n	n		
Xerox® Colotech+ (Blue label)	Bond	90 gsm	003R97671	4 hole	A3	S	S	S	S	S	n	n	M	n	t	n	t	n	n	n	n	n		
			003R97672		SRA3	n	S	S	S	S	n	n	M	n	t	n	t	n	n	n	n	n	n	
			003R94641		A4	A	A	A	A	A	A	A	A	A	A	t	t	t	t	t	n	n	n	n
	Bond	100 gsm	003R94642	4 hole	A3	A	A	A	A	A	n	n	A	n	t	t	t	t	t	n	n	n	n	
			003R95838		SRA3	n	A	A	A	A	n	n	A	n	t	n	t	n	t	n	n	n	n	
			003R94646		A4	A	A	A	A	A	A	A	A	A	A	t	t	t	t	n	n	n	n	n
	Lightweight Cardstock	120 gsm	003R94647	4 hole	A3	A	A	A	A	A	n	n	A	n	t	t	t	t	n	n	n	n	n	
			003R95839		SRA3	n	A	A	A	A	n	n	A	n	t	n	t	n	n	t	n	n	n	n
			003R94651		A4	A	A	A	A	A	A	A	A	A	A	t	t	t	t	n	n	n	n	n
	Lightweight Cardstock	160 gsm	003R94652	4 hole	A3	A	A	A	A	A	n	n	A	n	t	t	t	t	n	n	n	n	n	
			003R95840		SRA3	n	A	A	A	A	n	n	A	n	t	n	t	n	n	t	n	n	n	n
			003R94656		A4	A	A	A	A	A	A	A	A	A	A	t	t	t	t	n	n	n	n	n
	Cardstock	200 gsm	003R94657	4 hole	A3	A	A	A	A	A	n	n	A	n	t	t	t	t	n	n	n	n	n	
			003R95841		SRA3	n	A	A	A	A	n	n	A	n	t	n	t	n	n	t	n	n	n	n
			003R94661		A4	A	A	A	A	A	A	A	M	A	t	t	t	t	n	n	n	n	n	n
	Cardstock	220 gsm	003R94662	4 hole	A3	A	A	A	A	A	n	n	M	n	t	t	t	t	n	n	n	n	n	
			003R95842		SRA3	n	A	A	A	A	n	n	M	n	t	n	t	n	n	t	n	n	n	n
			003R94668		A4	A	A	A	A	A	A	M	A	t	t	t	t	n	n	n	n	n	n	n
Cardstock	250 gsm	003R94669	4 hole	A3	A	A	A	A	A	n	n	M	n	t	t	t	t	n	n	n	n	n		
		003R94671		A4	S	S	S	S	S	S	S	M	A	t	n	t	n	n	n	n	n	n	n	
		003R94672		A3	S	S	S	S	S	n	n	M	n	t	n	t	n	n	n	n	n	n	n	
003R95844	SRA3	n	S	S	S	S	n	n	M	n	t	n	t	n	n	n	n	n	n	n	n			

Xerox® WorkCentre™ 7970, 7970i - Recommended Media List - Europe - March 2016

The Recommended Media List contains Xerox® paper and specialty media, digitally optimized, designed from stringent specifications and manufactured for optimal and constant image quality performance. Xerox® branded paper and specialty media have undergone rigorous testing by Xerox®. Any paper and print media that is featured on the Recommended Media List for a specific Xerox® printer or digital press will give optimum performance. This is how Antalis can offer 100% Performance Guaranteed.

Trays 1,2,3, TTM, SMH & HCF

Plain / Bond / Recycled (64 - 105 gsm)	Glossy (106 - 169 gsm)	Lightweight Cardstock (106 - 169 gsm)
Glossy Cardstock (170 - 256 gms)	Heavy Glossy Cardstock (257 - 300 gms)	Cardstock (170 - 256 gsm)
Transparency	Labels	Heavyweight Cardstock (257 - 300 gms)

Paper Types are selected when Paper Tray is closed

**WorkCentre™
7970, 7970i
RML
Europe
V 2.0**

Media	Paper Type Setting	Weight	Re-Order #	Type	Size	Simplex / Duplex Capabilities						Finisher Capabilities								Additional Information			
						Trays						SMH (Bypass)	HCF	BR Finisher		BR Booklet Maker Finisher		CZ Folder					
						3TM		TTM				5	6	Stack	Staple	Stack	Staple	Books (SEF)	Bi-fold (SEF)		'z'	Letter 'z'	Letter 'c'
Xerox® Colotech+ (Gold label)	Bond	90 gsm	003R98837		A4	A	A	A	A	A	A	A	A	A	t	t	t	t	t	t	n	n	n
			003R98839		A3	A	A	A	A	A	n	n	A	n	t	t	t	t	t	t	n	n	n
			003R98840		SRA3	n	A	A	A	A	n	n	A	n	t	n	t	n	t	t	n	n	n
	Bond	100 gsm	003R98842		A4	A	A	A	A	A	A	A	A	A	t	t	t	t	n	t	n	n	n
			003R98844		A3	A	A	A	A	A	n	n	A	n	t	t	t	t	n	t	n	n	n
			003R98845		SRA3	n	A	A	A	A	n	n	A	n	t	n	t	n	n	t	n	n	n
	Lightweight Cardstock	120 gsm	003R98847		A4	A	A	A	A	A	A	A	A	A	t	t	t	t	n	t	n	n	n
			003R98848		A3	A	A	A	A	A	n	n	A	n	t	t	t	t	n	t	n	n	n
			003R98849		SRA3	n	A	A	A	A	n	n	A	n	t	n	t	n	n	t	n	n	n
	Lightweight Cardstock	160 gsm	003R98852		A4	A	A	A	A	A	A	A	A	A	t	t	t	t	n	t	n	n	n
			003R98854		A3	A	A	A	A	A	n	n	A	n	t	t	t	t	n	t	n	n	n
			003R98855		SRA3	n	A	A	A	A	n	n	A	n	t	n	t	n	n	t	n	n	n
	Cardstock	200 gsm	003R97967		A4	A	A	A	A	A	A	M	A	A	t	t	t	t	n	t	n	n	n
			003R97968		A3	A	A	A	A	A	n	n	M	n	t	t	t	t	n	t	n	n	n
003R97969			SRA3		n	A	A	A	A	n	n	M	n	t	n	t	n	n	t	n	n	n	
Cardstock	220 gsm	003R97971		A4	A	A	A	A	A	A	M	A	A	t	t	t	t	n	t	n	n	n	
		003R97972		A3	A	A	A	A	A	n	n	M	n	t	t	t	t	n	t	n	n	n	
		003R97973		SRA3	n	A	A	A	A	n	n	M	n	t	n	t	n	n	t	n	n	n	
Cardstock	250 gsm	003R98975		A4	S	S	S	S	S	S	M	A	A	t	n	t	n	n	n	n	n	n	
		003R98976		A3	S	S	S	S	S	n	n	M	n	t	n	t	n	n	n	n	n	n	
		003R98977		SRA3	n	S	S	S	S	n	n	M	n	t	n	t	n	n	n	n	n	n	
Heavyweight Cardstock	280 gsm	003R98979		A4	n	n	n	n	n	n	M	n	n	t	n	t	n	n	n	n	n	n	
		003R98980		A3	n	n	n	n	n	n	n	M	n	t	n	t	n	n	n	n	n	n	
		003R97981		SRA3	n	n	n	n	n	n	n	M	n	t	n	t	n	n	n	n	n	n	
Heavyweight Cardstock	300 gsm	003R97983		A4	n	n	n	n	n	n	M	n	n	t	n	t	n	n	n	n	n	n	
		003R97984		A3	n	n	n	n	n	n	n	M	n	t	n	t	n	n	n	n	n	n	
		003R92072		SRA3	n	n	n	n	n	n	n	M	n	t	n	t	n	n	n	n	n	n	
Xerox® Colotech+ Natural White	Bond	100 gsm	003R97102		A4	A	A	A	A	A	A	A	A	A	t	t	t	t	n	t	n	n	n
			003R97103		A3	A	A	A	A	A	n	n	A	n	t	t	t	t	n	t	n	n	n
	Lightweight Cardstock	160 gsm	003R95956		A4	A	A	A	A	A	A	A	A	A	t	t	t	t	n	t	n	n	n
003R95957			A3		A	A	A	A	A	n	n	A	n	t	t	t	t	n	t	n	n	n	
Cardstock	200 gsm	003R95958		A4	A	A	A	A	A	A	M	A	A	t	t	t	t	n	t	n	n	n	
		003R95959		A3	A	A	A	A	A	n	n	M	n	t	t	t	t	n	t	n	n	n	

Xerox® WorkCentre™ 7970, 7970i - Recommended Media List - Europe - March 2016

The Recommended Media List contains Xerox® paper and specialty media, digitally optimized, designed from stringent specifications and manufactured for optimal and constant image quality performance. Xerox® branded paper and specialty media have undergone rigorous testing by Xerox®. Any paper and print media that is featured on the Recommended Media List for a specific Xerox® printer or digital press will give optimum performance. This is how Antalis can offer 100% Performance Guaranteed.

Trays 1,2,3, TTM, SMH & HCF

Plain / Bond / Recycled (64 - 105 gsm)	Glossy (106 - 169 gsm)	Lightweight Cardstock (106 - 169 gsm)
Glossy Cardstock (170 - 256 gms)	Heavy Glossy Cardstock (257 - 300 gms)	Cardstock (170 - 256 gms)
Transparency	Labels	Heavyweight Cardstock (257 - 300 gms)

Paper Types are selected when Paper Tray is closed

**WorkCentre™
7970, 7970i
RML
Europe
V 2.0**

Simplex / Duplex Capabilities										Finisher Capabilities																	
A = Auto Duplex S = Simplex Only M = Manual Duplex n = not supported										t = Capable of Stacking, Stapling or Folding Paper Type / Size n = not supported																	
Trays										BR Finisher				BR Booklet Maker Finisher				CZ Folder									
3TM										TTM				SMH (Bypass)				HCF									
1 2 3 4										1 2 3 4				5				6									
Media										Stack		Staple		Stack		Staple		Books (SEF)		Bi-fold (SEF)		'z'		Letter 'z'		Letter 'C'	
Xerox® Colotech+ Gloss Coated	Glossy	120 gsm	003R90336		Gloss Text	A4		A n n n n n n n n A A		t t t t t n t n n n		t t t t t n t n n n		t t t t t n t n n n		t t t t t n t n n n		t t t t t n t n n n		If jams occur when feeding from Tray 1 or HCF, switch to Bypass Tray (Tray 5) for improved performance with Glossy papers. Environmental conditions (high humidity) may require that this product be fed 1 sheet at a time.							
			003R90337			A3		A n n n n n n n n A n		t t t t t n t n n n		t t t t t n t n n n		t t t t t n t n n n		t t t t t n t n n n											
			003R90338			SRA3		n n n n n n n n n A n		t n t n t n n n n n		t n t n t n n n n n		t n t n t n n n n n		t n t n t n n n n n											
	Glossy	140 gsm	003R90339		Gloss Text	A4		A n n n n n n n n A A		t t t t t n t n n n		t t t t t n t n n n		t t t t t n t n n n		t t t t t n t n n n											
			003R90340			A3		A n n n n n n n n A n		t t t t t n t n n n		t t t t t n t n n n		t t t t t n t n n n		t t t t t n t n n n											
			003R90341			SRA3		n n n n n n n n n A n		t n t n t n n n n n		t n t n t n n n n n		t n t n t n n n n n		t n t n t n n n n n											
	Glossy Cardstock	170 gsm	003R90342		Gloss Cover	A4		S n n n n n n n n M n		t t t t t n t n n n		t t t t t n t n n n		t t t t t n t n n n		t t t t t n t n n n											
			003R90343			A3		S n n n n n n n n M n		t t t t t n t n n n		t t t t t n t n n n		t t t t t n t n n n		t t t t t n t n n n											
			003R90344			SRA3		n n n n n n n n n M n		t n t n t n n n n n		t n t n t n n n n n		t n t n t n n n n n		t n t n t n n n n n											
	Glossy Cardstock	210 gsm	003R90345		Gloss Cover	A4		S n n n n n n n n M n		t t t t t n t n n n		t t t t t n t n n n		t t t t t n t n n n		t t t t t n t n n n											
003R90346			A3			S n n n n n n n n M n		t t t t t n t n n n		t t t t t n t n n n		t t t t t n t n n n		t t t t t n t n n n													
003R90347			SRA3			n n n n n n n n n M n		t n t n t n n n n n		t n t n t n n n n n		t n t n t n n n n n		t n t n t n n n n n													
Glossy Cardstock	250 gsm	003R90348		Gloss Cover	A4		S n n n n n n n n M n		t t t t t n t n n n		t t t t t n t n n n		t t t t t n t n n n		t t t t t n t n n n												
		003R90349			A3		S n n n n n n n n M n		t t t t t n t n n n		t t t t t n t n n n		t t t t t n t n n n		t t t t t n t n n n												
		003R90350			SRA3		n n n n n n n n n M n		t n t n t n n n n n		t n t n t n n n n n		t n t n t n n n n n		t n t n t n n n n n												
Heavy Glossy Cardstock	280 gsm	003R90351		Gloss Cover	A4		n n n n n n n n n M n		t n t n t n n n n n		t n t n t n n n n n		t n t n t n n n n n		t n t n t n n n n n												
		003R90352			A3		n n n n n n n n n M n		t n t n t n n n n n		t n t n t n n n n n		t n t n t n n n n n		t n t n t n n n n n												
		003R90353			SRA3		n n n n n n n n n M n		t n t n t n n n n n		t n t n t n n n n n		t n t n t n n n n n		t n t n t n n n n n												
Xerox® Colotech+ Silk Coated	Glossy	120 gsm	003R90355		Silk Text	A4		A n n n n n n n n A A		t t t t t n t n n n		t t t t t n t n n n		t t t t t n t n n n		t t t t t n t n n n		If jams occur when feeding from Tray 1 or HCF, switch to Bypass Tray (Tray 5) for improved performance with Glossy papers. Environmental conditions (high humidity) may require that this product be fed 1 sheet at a time.									
			003R90356			A3		A n n n n n n n n A n		t t t t t n t n n n		t t t t t n t n n n		t t t t t n t n n n		t t t t t n t n n n											
			003R90357			SRA3		n n n n n n n n n A n		t n t n t n n n n n		t n t n t n n n n n		t n t n t n n n n n		t n t n t n n n n n											
	Glossy	140 gsm	003R90358		Silk Text	A4		A n n n n n n n n A A		t t t t t n t n n n		t t t t t n t n n n		t t t t t n t n n n		t t t t t n t n n n											
			003R90359			A3		A n n n n n n n n A n		t t t t t n t n n n		t t t t t n t n n n		t t t t t n t n n n		t t t t t n t n n n											
			003R90360			SRA3		n n n n n n n n n A n		t n t n t n n n n n		t n t n t n n n n n		t n t n t n n n n n		t n t n t n n n n n											
	Glossy Cardstock	170 gsm	003R90361		Silk Cover	A4		S n n n n n n n n M n		t t t t t n t n n n		t t t t t n t n n n		t t t t t n t n n n		t t t t t n t n n n											
			003R90362			A3		S n n n n n n n n M n		t t t t t n t n n n		t t t t t n t n n n		t t t t t n t n n n		t t t t t n t n n n											
			003R90363			SRA3		n n n n n n n n n M n		t n t n t n n n n n		t n t n t n n n n n		t n t n t n n n n n		t n t n t n n n n n											
	Glossy Cardstock	210 gsm	003R90364		Silk Cover	A4		S n n n n n n n n M n		t t t t t n t n n n		t t t t t n t n n n		t t t t t n t n n n		t t t t t n t n n n											
003R90365			A3			S n n n n n n n n M n		t t t t t n t n n n		t t t t t n t n n n		t t t t t n t n n n		t t t t t n t n n n													
003R90366			SRA3			n n n n n n n n n M n		t n t n t n n n n n		t n t n t n n n n n		t n t n t n n n n n		t n t n t n n n n n													
Glossy Cardstock	250 gsm	003R90367		Silk Cover	A4		S n n n n n n n n M n		t t t t t n t n n n		t t t t t n t n n n		t t t t t n t n n n		t t t t t n t n n n												
		003R90368			A3		S n n n n n n n n M n		t t t t t n t n n n		t t t t t n t n n n		t t t t t n t n n n		t t t t t n t n n n												
		003R90369			SRA3		n n n n n n n n n M n		t n t n t n n n n n		t n t n t n n n n n		t n t n t n n n n n		t n t n t n n n n n												
Heavy Glossy Cardstock	280 gsm	003R90370		Gloss Cover	A4		n n n n n n n n n M n		t n t n t n n n n n		t n t n t n n n n n		t n t n t n n n n n		t n t n t n n n n n												
		003R90371			A3		n n n n n n n n n M n		t n t n t n n n n n		t n t n t n n n n n		t n t n t n n n n n		t n t n t n n n n n												
		003R90372			SRA3		n n n n n n n n n M n		t n t n t n n n n n		t n t n t n n n n n		t n t n t n n n n n		t n t n t n n n n n												
Xerox® Colotech+ Supergloss (C1S)	Glossy	160 gsm	003R97680		Labels	A4		A n n n n n n n n A A		t t t t t n t n n n		t t t t t n t n n n		t t t t t n t n n n		t t t t t n t n n n		If jams occur when feeding from Tray 1 or HCF, switch to Bypass Tray (Tray 5) for improved performance with Glossy papers. Environmental conditions (high humidity) may require that this product be fed 1 sheet at a time.									
			003R97681			A3		A n n n n n n n n A n		t t t t t n t n n n		t t t t t n t n n n		t t t t t n t n n n		t t t t t n t n n n											
	003R97682		A4			S n n n n n n n n M n		t t t t t n t n n n		t t t t t n t n n n		t t t t t n t n n n		t t t t t n t n n n													
	003R97683		A3			S n n n n n n n n M n		t t t t t n t n n n		t t t t t n t n n n		t t t t t n t n n n		t t t t t n t n n n													
003R97684		SRA3		n n n n n n n n n M n		t n t n t n n n n n		t n t n t n n n n n		t n t n t n n n n n		t n t n t n n n n n		t n t n t n n n n n													
Xerox® Colour Laser Labels	Labels	003R93872		1 up	A4		S n n n n n n n n S S		t n t n t n n n n n		t n t n t n n n n n		t n t n t n n n n n		t n t n t n n n n n		If toner rubs off sheet, switch to Cardstock mode. Stack only to Top Finisher Tray.										
		003R95813			A4		S n n n n n n n n S S		t n t n t n n n n n		t n t n t n n n n n		t n t n t n n n n n		t n t n t n n n n n												
		003R93874			A4		S n n n n n n n n S S		t n t n t n n n n n		t n t n t n n n n n		t n t n t n n n n n		t n t n t n n n n n												
		003R93875			A4		S n n n n n n n n S S		t n t n t n n n n n		t n t n t n n n n n		t n t n t n n n n n		t n t n t n n n n n												
		003R95815			A4		S n n n n n n n n S S		t n t n t n n n n n		t n t n t n n n n n		t n t n t n n n n n		t n t n t n n n n n												
003R97524		A4		S n n n n n n n n S S		t n t n t n n n n n		t n t n t n n n n n		t n t n t n n n n n		t n t n t n n n n n		t n t n t n n n n n													

Xerox® WorkCentre™ 7970, 7970i - Recommended Media List - Europe - March 2016

The Recommended Media List contains Xerox® paper and specialty media, digitally optimized, designed from stringent specifications and manufactured for optimal and constant image quality performance. Xerox® branded paper and specialty media have undergone rigorous testing by Xerox®. Any paper and print media that is featured on the Recommended Media List for a specific Xerox® printer or digital press will give optimum performance. This is how Antalis can offer 100% Performance Guaranteed.

Trays 1,2,3, TTM, SMH & HCF

Plain / Bond / Recycled (64 - 105 gsm)	Glossy (106 - 169 gsm)	Lightweight Cardstock (106 - 169 gsm)
Glossy Cardstock (170 - 256 gms)	Heavy Glossy Cardstock (257 - 300 gms)	Cardstock (170 - 256 gsm)
Transparency		Heavyweight Cardstock (257 - 300 gsm)
		Labels

Paper Types are selected when Paper Tray is closed

**WorkCentre™
7970, 7970i
RML
Europe
V 2.0**

Simplex / Duplex Capabilities

A = Auto Duplex
S = Simplex Only
M = Manual Duplex n = not supported

Finisher Capabilities

t = Capable of Stacking, Stapling or Folding Paper Type / Size
n = not supported

Media	Paper Type Setting	Weight	Re-Order #	Type	Size	Trays						SMH (Bypass)			HCF			Finishes									Additional Information		
						3TM			TTM									BR Finisher			BR Booklet Maker Finisher			CZ Folder					
						1	2	3	4	2	3	4	5	6	Stack	Staple	Stack	Staple	Books (SEF)	Bi-fold (SEF)	'Z'	Letter 'Z'	Letter 'C'	Stack	Staple	Stack		Staple	Books (SEF)
Xerox® High Speed Laser Removable Labels	Labels		003R96177 003R96178	16 up 24 up	A4 A4	S	n	n	n	n	n	n	S	S	t	n	t	n	n	n	n	n	n	n	n	n	n	n	If toner rubs off sheet, switch to Cardstock mode. Stack only to Top Finisher Tray.
Xerox® High Speed Laser labels	Labels		003R96281	16 up	A4	S	n	n	n	n	n	n	S	S	t	n	t	n	n	n	n	n	n	n	n	n	n	n	Stack only to Top Finisher Tray.
Xerox® Colotech Supergloss Labels	Glossy Cardstock		003R97288 003R97540	1 up 1 up	A4 SRA3	S	n	n	n	n	n	n	S	S	t	n	t	n	n	n	n	n	n	n	n	n	n	n	Stack only to Top Finisher Tray.
Xerox® Colotech Super Gloss CD Labels	Glossy Cardstock		003R97516	2 up	A4	S	n	n	n	n	n	n	S	S	t	n	t	n	n	n	n	n	n	n	n	n	n	n	Stack only to Top Finisher Tray.
Xerox® Colour Laser Matte CD Labels	Lightweight Cardstock		003R97514	2 up	A4	S	n	n	n	n	n	n	S	S	t	n	t	n	n	n	n	n	n	n	n	n	n	n	Stack only to Top Finisher Tray.
Xerox® Plain Transparency for Colour	Transparency		003R98205		A4	S	S	S	S	S	S	S	S	S	t	n	t	n	n	n	n	n	n	n	n	n	n	n	Paper Type Transparency should be displayed on the User Interface for trays / Bypass. It is not recommended to output more than 20 transparencies at a time. Stack only to Top Finisher Tray.
Xerox® Universal Transfer Paper	Lightweight Cardstock		003R93544 003R93545		A4 A3	n	n	n	n	n	n	n	S	S	t	n	t	n	n	n	n	n	n	n	n	n	n	n	Transfer paper is not intended as the sole application of machine. Limit monthly usage.
Envelopes	Envelope	75 - 90 gsm		C5	9 x 6.4 in	n	n	n	n	n	n	n	S	n	t	n	t	n	n	n	n	n	n	n	n	n	n	n	Envelope tray is available as an option. Envelopes are run in Heavyweight Cardstock mode. Wrinkles with certain brands / type are possible. If wrinkles are encountered, try a different brand / type.
				DL	8.7 x 4.3 in	n	n	n	n	n	n	n	n	S	n	t	n	t	n	n	n	n	n	n	n	n	n	n	