

Xerox Accessibility Section 508 Conformance Report

Voluntary Product Accessibility Template® (VPAT®) V2.4

Name of Product: Xerox® Nuvera® 100/120/144/157 EA and MX Production Systems



Report Date: March 10, 2023

Product Description: The Xerox® Nuvera® 100/120/144/157 EA and MX Production Systems is a set of machine modules that provides a high-speed cut sheet monochrome Xerographic printing. Today's Nuvera program delivers a robust set of integrated machine modules leveraged from a legacy of previous models over the last 20 years. The resulting Production Printing System continues to support the current Monochrome Production Publishing business. The architecture enables the printing of high quality prints with EA toner. MICR (Magnetic Ink Character Recognition) toner is also an available option at 120 ppm and 144 ppm. The system enables a process width of 12.9 inches. It allows print speeds of 100, 120, 144 and 157 ppm per minutes of 8.5 X 11 inch or A4 paper running long edge feed. Legal and A3 runs at lower speeds with short edge feed.

Contact Information: Learn more about Xerox and Section 508 at our website: www.xerox.com/Section508

Terms:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.

Software Version Evaluated: RV 14.4.28 FFPS : Version: 7.0 SP-3 (73.M1.90.11.86)

Accessories Included in Evaluation: Optional Trays and Windows Narrator

Evaluation Methods Used: Testing based on general product knowledge, Similar to another evaluated product, and Testing with assistive technologies (The Windows Narrator is supported for driver alone. Therefore, marked yes for Windows Narrator).



Summary Table – Voluntary Product Accessibility Template® (VPAT®)

Criteria	Conformance Level	Remarks and explanations
Chapter 3: Functional Performance Criteria	Partially Supports	Compliant with minor exceptions concerning vision, limited manipulation, limited reach and strength
Chapter 4: Hardware	Partially Supports	Compliant with minor exceptions concerning characters on display screens, reach height and depth, and input controls
Chapter 5: Software	Not Applicable	The product does not support the software criteria set forth
Chapter 6: Support Documentation and Services	Supports	The centralization of documentation, training, and support services for most Xerox products allows us to achieve compliance across the corporation.

Chapter 3: Functional Performance Criteria (FPC)

Criteria	Conformance Level	Remarks and explanations
302.1 Without Vision	Partially Supports	Those with vision impairment need training to unload prints from output trays. Those with vision impairment will have a hard time with viewing messages for jams or accessing the jammed area.
302.2 With Limited Vision	Partially Supports	Letters in display screen are less than 4.8mm
302.3 Without Perception of Color	Supports	At least one mode of operation that does not require user perception of color is available
302.4 Without Hearing	Supports	One mode of operation that does not require user hearing is available
302.5 With Limited Hearing	Supports	One mode of operation that does not require user limited hearing is available
302.6 Without Speech	Supports	At least one mode of operation that does not require user speech is available
302.7 With Limited Manipulation	Partially Supports	Inserting toner may be difficult as it is large in size. User required to do simultaneous operations to access and remove jammed sheets.
302.8 With Limited Reach and Strength	Partially Supports	Display is placed above the device making it difficult for some people to see the device freely. Inserting toner may be difficult as it is large in size. User required to do simultaneous operations to access and remove jammed sheets.
302.9 With limited Language, Cognitive, and Learning Abilities	Supports	Features are provided for individuals with limited cognitive, language, and learning abilities for simpler and easier use

Chapter 4: Hardware

Criteria	Conformance Level	Remarks and explanations
402 Closed Functionality		
402.1 General		
402.2 Speech-Output Enabled		
402.2.1 Information Displayed On-Screen	Not Applicable	Assistive Technology not available
402.2.2 Transactional Outputs	Not Applicable	There is no transactional output
402.2.3 Speech Delivery Type and Coordination	Not Applicable	There is no speech output
402.2.4 User Control	Not Applicable	There is no voice output.
402.2.5 Braille Instructions	Not Applicable	There is no speech output
402.3 Volume		
402.3.1 Private Listening	Not Applicable	There is no voice output.
402.3.2 Non-private Listening	Not Applicable	There is no voice output.
402.4 Characters on Display Screens	Partially Supports	Letters on display screen are less than 4.8mm
402.5 Characters on Variable Message Signs	Supports	Conforms to Variable Message Signs of ICC A117.1-2009
403 Biometrics		
403.1 General	Not Applicable	Biometric forms are not used.
404 Preservation of Information Provided for Accessibility		
404.1 General	Supports	The device does not remove transmitted information.
405 Privacy		
405.1 General	Supports	The same degree of privacy of input and output is provided to all individuals
406 Standard Connections		
406.1 General	Supports	At least one type of connection conforms to industry standard non-priority format.
407 Operable Parts		
407.2 Contrast	Supports	The product provides keys and controls with contrast visually from background surfaces
407.3 Input Controls		

407.3.1 Tactilely Discernible	Supports	Input controls are operable by touch and tactilely discernible without activation.
407.3.2 Alphabetic Keys	Not Applicable	The product does not include any mechanically operated controls or keys
407.3.3 Numeric Keys	Not Applicable	A 12-key ascending or descending keypad layout is not provided.
407.4 Key Repeat	Not Applicable	Key repeat is not supported.
407.5 Timed Response	Supports	A time-out alert feature is present and controllable.
407.6 Operation	Partially Supports	Production devices have large toner bottles which may be hard to install. For accessing and removing Jam Papers, user shall require tight grasping and pinching and twisting the wrist.
407.7 Tickets, Fare Cards, and Keycards	Not Applicable	Tickets, Fare card or keycard is not used in product
407.8 Reach Height and Depth		
407.8.1 Vertical Reference Plane	Partially Supports	To conform tray settings in FFPS server, it is located in more than 34 inches high. PenDrive plug-in is located in more than required lengths provided
407.8.1.1 Vertical Plane for Side Reach	Partially Supports	To conform tray settings in FFPS server, it is located in more than 48 inches high. PenDrive plug-in is located in more than required lengths provided
407.8.1.2 Vertical Plane for Forward Reach.	Partially Supports	To conform tray settings in FFPS server, it is located in more than 30 inches high. PenDrive plug-in is located in more than required lengths provided
407.8.2 Side Reach	Partially Supports	To conform tray settings in FFPS server, it is located in more than 34 inches high. PenDrive plug-in is located in more than required lengths provided
407.8.2.1 Unobstructed Side Reach	Partially Supports	To conform tray settings in FFPS server, it is located in more than 48 inches high. PenDrive plug-in is located in more than required lengths provided
407.8.2.2 Obstructed Side Reach	Partially Supports	To conform tray settings in FFPS server, it is located in more than 46 inches high. PenDrive plug-in is located in more than required lengths provided
407.8.3 Forward Reach	Partially Supports	To conform tray settings in FFPS server, it is located in more than 34 inches high.

		PenDrive plug-in is located in more than required lengths provided
407.8.3.1 Unobstructed Forward Reach	Partially Supports	To conform tray settings in FFPS server, it is located in more than 48 inches high. PenDrive plug-in is located in more than required lengths provided
407.8.3.2 Obstructed Forward Reach	Partially Supports	To conform tray settings in FFPS server, it is located in more than 25 inches high. PenDrive plug-in is located in more than required lengths provided
407.8.3.2.1 Operable Part Height for ICT with Obstructed Forward Reach	Partially Supports	To conform tray settings in FFPS server, it is located in more than 48 inches high. PenDrive plug-in is located in more than required lengths provided
407.8.3.2.2 Knee and Toe Space under ICT with Obstructed Forward Reach	Not Applicable	There are no operable controls.
<i>408 Display Screens</i>		
408.2 Visibility	Supports	At least one display screen is visible from a point located 40 inches above floor space
408.3 Flashing	Not Applicable	This product does not emit lights greater than spec.
<i>409 Status Indicators</i>		
409.1 General	Not Applicable	The product does not include any mechanically operated controls or keys.
<i>410 Color Coding</i>		
410.1 General	Not Applicable	The product does not use color coding.
<i>411 Audible Signals</i>		
411.1 General	Not Applicable	The product does not use audible signals.
<i>412 ICT with Two-Way Voice Communication</i>		
<i>412.2 Volume Gain</i>		
412.2.1 Volume Gain for Wireline Telephones	Not Applicable	This product does not use analog or digital wireline telephones.
412.2.2 Volume Gain for Non-Wireline ICT	Not Applicable	The device does not support bi-directional voice communication over a telephone line.
<i>412.3 Interference Reductions and Magnetic Coupling</i>		
412.3.1 Wireless Handsets	Not Applicable	The product does not produce electromagnetic fields.

412.3.2 Wireline Handsets	Not Applicable	The product does not produce electromagnetic fields.
412.4 Digital Encoding of Speech	Not Applicable	This product does not support digital encoding of speech
412.5 Real-time Text Functionality	Not Applicable	This product does not support real-time functionality
412.6 Called ID	Not Applicable	Caller ID and/or similar telecommunications are not present.
412.7 Video Communication	Not Applicable	The product is not a video or multi-media product.
412.8 Legacy TTY Support		
412.8.1 TTY Connectability	Not Applicable	The device does not include a standard non-acoustic connection point for TTYs
412.8.2 Voice and Hearing Carry Over	Not Applicable	A microphone is not included
412.8.3 Signal Compatibility	Not Applicable	Does not support commonly used cross-manufacturer non-proprietary standard TTY signal protocols where the system interoperates with the Public Switched Telephone Network (PSTN)
412.8.4 Voice Mail and Other Messaging Systems	Not Applicable	Where provided, voice mail, auto-attendant, interactive voice response, and caller identification systems are not usable with a TTY
413 Closed Caption Processing Technologies		
413.1.1 Decoding and Display of Closed Captions	Not Applicable	The product is not a video or multi-media product.
413.1.2 Pass-Through of Closed Caption Data	Not Applicable	The device does not transmit or conduct information or communication.
414 Audio Description Processing Technologies		
414.1.1 Digital Television Tuners	Not Applicable	The product is not a video or multi-media product.
414.1.2 Other ICT	Not Applicable	The product is not a video or multi-media product.
415 User Controls for Captions and Audio Descriptions		
415.1.1 Caption Controls	Not Applicable	The product is not a video or multi-media product.
415.1.2 Audio Description Controls	Not Applicable	The product is not a video or multi-media product.

Chapter 6 Support Documentation and Services

Criteria	Conformance Level	Remarks and explanations
601.1 Scope		
602 Support Documentation		
602.2 Accessibility and Compatibility Features	Not Applicable	Customer support service details are available in the user guide and on website.
602.3 Electronic Support Documentation	Supports	Customer support service details are available in the user guide and on website.
602.4 Alternate Formats for Non-Electronic Support Documentation	Supports	Customer support service details are available in the user guide and on website.
603 Support Services		
603.2 Information on Accessibility and Compatibility Features	Not Applicable	Customer support service details are available in the user guide and on website.
603.3 Accommodation of Communication Needs	Not Applicable	Customer support service contact details are available in the user guide and on website. Specific support for persons with disability is not provided

What is the Voluntary Product Accessibility Template (VPAT)?

The purpose of the Voluntary Product Accessibility Template is to assist Federal contracting officials in making preliminary assessments regarding the availability of commercial Electronic and Information Technology products and services with features that support accessibility.

The first table of the Template provides a summary view of the Section 508 Standards. The subsequent tables provide more detailed views of each subsection. There are three columns in each table. In the subsequent tables, the first column contains the numbered paragraphs of the subsections. The second column describes the supporting features of the product with regard to that paragraph. The third column contains any additional remarks and explanations regarding the product.

For additional information on these and other accessories, contact your Xerox sales representative or call 1-800-ASK-XEROX (1-800-275-9376).

© 2023 Xerox Corporation. All rights reserved. Xerox® is a trademark of Xerox Corporation in the United States and/or other countries. BR26681
Other company trademarks are also acknowledged.
Document Version: 2.4 (April 2021).

Voluntary Product Accessibility Template® and VPAT® are registered service marks of the Information Technology Industry Council (ITI).