Xerox Accessibility Section 508 Conformance Report

Voluntary Product Accessibility Template® (VPAT®) V2.4

Xerox[®] Versant 4100 Printer

Print speeds up to 100ppm and media stock extension from 52-400gsm.

Supports envelope printing and extra long sheets up to 13x26".

Xerox® EA Toner with incredible 2400 x 2400 dpi Ultra HD Resolution with 10-bit RIP rendering.

Simplify and automate otherwise time-consuming tasks like image-to-media alignment, density uniformity, color calibration, and profiling and more with our Full Width Array (FWA).

Predict Print feature to minimize operator errors while setting up different stocks.

Inline finishing options from simple folds and staples to full bleed, square edge face-trimmed booklets.



Learn more about Xerox and Section 508 at our website: www.xerox.com/Section508

Summary Table – Voluntary Product Accessibility Template[®] (VPAT[®])

Criteria	Conformance Level	Remarks and explanations
Chapter 3: Functional Performance Criteria	Partially Supports	Compliant with minor exceptions concerning limited manipulation, and limited reach & strength
Chapter 4: Hardware	Partially Supports	Compliant with minor exceptions concerning reach heights & depth, and status
Chapter 5: Software	Partially Supports	Compliant with a minor exception concerning accessibility services
Chapter 6: Support Documentation and Services	Supports	The centralization of documentation, training, and support services for most Xerox products allows us to achieve compliance across the corporation.

Software Version Evaluated: 101.02.61 Accessories Included in Evaluation: Production ready finisher Evaluation Methods Used: Testing based on general product knowledge, similar to another evaluated product, and published test method

Xelox...

Chapter 3: Functional Performance Criteria (FPC)

Criteria	Conformance Level	Remarks and explanations
302.1 Without Vision	Supports	At least one mode of operation that does not require user vision is available
302.2 With Limited Vision	Partially Supports	No alternative to program job parameters
302.3 Without Perception of Color	Supports	At least one mode of operation that does not require user perception of color is available
302.4 Without Hearing	Supports	One mode of operation that does not require user hearing is available
302.5 With Limited Hearing	Supports	One mode of operation that does not require user limited hearing is available
302.6 Without Speech	Supports	At least one mode of operation that does not require user speech is available
302.7 With Limited Manipulation	Partially Supports	Need to unload the completed prints - maybe a little at the time.
302.8 With Limited Reach and Strength	Partially Supports	Depending where the paper jam is, it may require help. Need to unload the completed prints - maybe a little at the time.
302.9 With limited Language, Cognitive, and Learning Abilities	Supports	Features are provided for individuals with limited cognitive, language, and learning abilities for simpler and easier use

Chapter 4: Hardware

Criteria	Conformance Level	Remarks and explanations
402 Closed Functionality		
402.1 General		
402.2 Speech-Output Enabled		
402.2.1 Information Displayed On-Screen	Supports	Speech output is provided for all information displayed on-screen
402.2.2 Transactional Outputs	Supports	This product audibly provides all information necessary to verify a transaction
402.2.3 Speech Delivery Type and Coordination	Supports	Speech output is delivered through an industry standard connector or a telephone headset. Output is coordinated with information displayed on the screen.
402.2.4 User Control	Supports	The product uses voice output, and the user may interrupt, pause, and restart the audio at anytime
402.2.5 Braille Instructions	Supports	Braille instructions for initiating speech mode of operation is provided where speech output is required in 402.2
402.3 Volume		
402.3.1 Private Listening	Supports	This product provides a mode of operation for controlling the volume when in private listening mode
402.3.2 Non-private Listening	Supports	The product has voice output, and the volume can be adjusted to at least 65 dB and defaults to the original volume after use.
402.4 Characters on Display Screens	Supports	At least one mode of characters displayed on the screen in sans serif font is available
402.5 Characters on Variable Message Signs	Supports	Conforms to Variable Message Signs of ICC A117.1- 2009
403 Biometrics		
403.1 General	Not Applicable	Biometric forms are not used.
404 Preservation of Information Provided for Accessibility		
404.1 General	Supports	The device does not remove transmitted information.
405 Privacy		

		The same degree of privacy of input and output is
405.1 General	Supports	provided to all individuals
406 Standard Connections		At least one type of connection conform to industry
406.1 General	Supports	At least one type of connection conform to industry standard non-priority format.
407 Operable Parts		The product provides have and controls with contract
407.2 Contrast	Supports	The product provides keys and controls with contrast visually from background surfaces
407.3 Input Controls		
407.3.1 Tactilely Discernible	Supports	Input controls are operable by touch and tactilely discernible without activation.
407.3.2 Alphabetic Keys	Supports	Individual alphabetic keys are arranged in a QWERTY-based keyboard layout and the "F" and "J" keys are tactilely distinct from the other keys.
407.3.3 Numeric Keys	Supports	Numeric keys are arranged in a 12-key ascending or descending keypad layout.
407.4 Key Repeat	Supports	Key repeat is supported, and the delay before repeat can be adjusted to 2 seconds or greater.
407.5 Timed Response	Supports	A time-out alert feature is present and controllable.
407.6 Operation	Supports	Controls do not require simultaneous use of two hands, and the force to activate hand-operated controls is less than 5 lbs.
407.7 Tickets, Fare Cards, and Keycards	Not Applicable	Tickets, Fare card or keycard is not used in product
407.8 Reach Height and Depth		
407.8.1 Vertical Reference Plane	Supports	At least one of each type of operable part of stationary ICT at a height conforming to 407.8.2 or 407.8.3 is available
407.8.1.1 Vertical Plane for Side Reach	Supports	Where a side reach is provided, the vertical reference plane is 48 inches (1220 mm) long minimum.
407.8.1.2 Vertical Plane for Forward Reach.	Supports	Where a forward reach is provided, the vertical reference plane is 30 inches (760 mm) long minimum
407.8.2 Side Reach	Supports	Where a side reach requires a reach over a portion of the ICT, the height of that portion of the ICT is 34 inches (865 mm) maximum.
407.8.2.1 Unobstructed Side Reach	Partially Supports	Some paper path jam areas maybe too low to reach.
407.8.2.2 Obstructed Side Reach	Partially Supports	Some paper path jam areas maybe too low to reach.
407.8.3 Forward Reach	Supports	Where a forward reach allows a reach over a portion of the ICT, the height of that portion of the ICT shall be 34 inches (865 mm) maximum
407.8.3.1 Unobstructed Forward Reach	Partially Supports	Some paper path jam areas maybe too low to reach.
407.8.3.2 Obstructed Forward Reach	Supports	Supports maximum allowable forward reach to an operable part is 25inches
407.8.3.2.1 Operable Part Height for ICT with Obstructed Forward Reach	Partially Supports	Some paper path jam areas maybe too low to reach.
407.8.3.2.2 Knee and Toe Space under ICT with Obstructed Forward Reach	Partially Supports	Some paper path jam areas maybe too low to reach.
408 Display Screens		
408.2 Visibility	Supports	At least one display screen is visible from a point located 40inces above floor space
408.3 Flashing	Supports	This product supports no more than three flashes in any one-second period.
409 Status Indicators		

	02/04/21
Partially Supports	Adjusting the paper sizes is done on the screen without noise or touch checkpoint.
Supports	Color coding and additional means of unique identification (e.g., text and symbols) are used.
Supports	Audible signals and additional means of unique identification (e.g., cues) are used.
Not Applicable	This product does not use analog or digital wireline telephones.
Supports	The device has a function that can support bi- directional voice communication over a telephone line, and it provides a gain adjustable up to a minimum of 20 db. For incremental volume control, at least one intermediate step of 12 dB of gain is provided.
Not Applicable	The product does not produce electromagnetic fields.
Not Applicable	The product does not produce electromagnetic fields.
Not Applicable	This product does not support digital encoding of speech
Not Applicable	This product does not support real-time functionality
Not Applicable	Caller ID and/or similar telecommunications are not present.
Not Applicable	The product is not a video or multi-media product.
Not Applicable	The device does not include a standard non-acoustic connection point for TTYs
Not Applicable	A microphone is not included
Not Applicable	Does not support commonly used cross-manufacturer non-proprietary standard TTY signal protocols where the system interoperates with the Public Switched Telephone Network (PSTN)
Not Applicable	Where provided, voice mail, auto-attendant, interactive voice response, and caller identification systems are not usable with a TTY
Not Applicable	The product is not a video or multi-media product.
Not Applicable	The device does not transmit or conduct information or communication.
Not Applicable	The product is not a video or multi-media product.
Supports	Audio description processing is provided.
Not Applicable	The product is not a video or multi-media product.
	Operable parts for the selection of audio description is
	Supports Supports Not Applicable Supports Supports Not Applicable Not Applicable

Criteria	Conformance Level	Remarks and explanations
502 Interoperability with Assistive Technology		
502.2.1 User Control of Accessibility Features	Supports	The product software does not override or disable accessibility features of the host operating system or other software possessing features that have been developed and documented according to industry standards.
502.2.2 No Disruption of Accessibility Features	Supports	The product software does not override or disable accessibility features of the host operating system or other software possessing features that have been developed and documented according to industry standards.
502.3 Accessibility		
Services 502.3.1 Object Information	Not Applicable	No program user interface elements are available.
502.3.2 Modification of Object Information	Not Applicable	No program user interface elements are available.
502.3.3 Row, Column, and Headers	Not Applicable	No data tables are used.
502.3.4 Values	Not Applicable	No keyboard is required to use any part of the product.
502.3.5 Modification of Values	Not Applicable	No keyboard is required to use any part of the product.
502.3.6 Label Relationships	Not Applicable	No keyboard is required to use any part of the product.
502.3.7 Hierarchical Relationships	Not Applicable	No keyboard is required to use any part of the product.
502.3.8 Text	Not Applicable	No textual information is provided.
502.3.9 Modification of Text.	Not Applicable	No textual information is provided.
502.3.10 List of Actions	Not Applicable	No applications are provided.
502.3.11 Actions on Objects	Not Applicable	No applications are provided.
502.3.12 Focus Cursor	Supports	A well-defined, on-screen indication of the current focus is provided, and the focus is programmatically exposed so that Assistive Technology can track focus and focus changes.
502.3.13 Modification of Focus Cursor	Not Applicable	No interactive interface elements are available.
502.3.14 Event Notification	Supports	Notification of events relevant to user interactions, including but not limited to, changes in the component's state, value, name, description, or boundary are available through assistive technology
502.4 Platform Accessibility Features	Partially Supports	Majority of product does not meet the criteria
503 Applications		
503.2 User Preferences	Supports	The product software does not override user-selected contrast and color selections and other individual display attributes.
503.3 Alternative User Interfaces	Supports	The product software does not override user-selected contrast and color selections and other individual display attributes.
503.4 User Controls for Captions and Audio Description		
503.4.1 Caption Controls	Not Applicable	User controls are not provided

503.4.2 Audio Description Controls	Not Applicable	02/04/21 User controls are provided for program selections for the selection of audio descriptions at the same menu level as the user controls for volume or program selection
504 Authoring Tools		the user controls for volume or program selection
504.2 Content Creation or Editing (if not authoring tool, enter "not applicable")	Not Applicable	Authoring tools shall not be required to conform to 504.2 when used to directly edit plain text source code.
504.2.1 Preservation of Information Provided for Accessibility in Format Conversion	Not Applicable	The device does not transmit or conduct information or communication.
504.2.2 PDF Export	Not Applicable	The device does not transmit or conduct information or communication.
504.3 Prompts	Not Applicable	The device does not transmit or conduct information or communication.
504.4 Templates	Not Applicable	The device does not transmit or conduct information or communication.

Chapter 6 Support Documentation and Services

Criteria	Conformance Level	Remarks and explanations
601.1 Scope		
602 Support Documentation		
602.2 Accessibility and Compatibility Features	Supports	Customer support service details are available in the user guide and also on website.
602.3 Electronic Support Documentation	Supports	Customer support service details are available in the user guide and also on website.
602.4 Alternate Formats for Non-Electronic Support Documentation	Supports	Customer support service details are available in the user guide and also on website.
603 Support Services		
603.2 Information on Accessibility and Compatibility Features	Supports	Customer support service details are available in the user guide and also on website.
603.3 Accommodation of Communication Needs	Supports	Customer support service contact details are available in the user guide and also on website. Specific support for persons with disability is not provided

What is the Voluntary Product Accessibility Template (VPAT)?

The purpose of the Voluntary Product Accessibility Template is to assist Federal contracting officials in making preliminary assessments regarding the availability of commercial Electronic and Information Technology products and services with features that support accessibility.

The first table of the Template provides a summary view of the Section 508 Standards. The subsequent tables provide more detailed views of each subsection. There are three columns in each table. In the subsequent tables, the first column contains the numbered paragraphs of the subsections. The second column describes the supporting features of the product with regard to that paragraph. The third column contains any additional remarks and explanations regarding the product.

For additional information on these and other accessories, contact your Xerox sales representative or call 1-800-ASK-XEROX (1-800-275-9376).

© 2021 Xerox Corporation. All rights reserved. Xerox[®] is a trademark of Xerox Corporation in the United States and/or other countries. BR26681

Other company trademarks are also acknowledged.

Document Version 2.4 (February 2020)

Voluntary Product Accessibility Template[®] and VPAT[®] are registered service marks of the Information Technology Industry Council (ITI).